# Anets GoldenFry<sup>™</sup> 18" Fryer

Item No.

### Ideal For Batch Cooking Large Volumes Of Chicken, Fish, And French Fries

These heavy duty 18 gas fryers are designed to provide fast recovery. Exclusive tube design minimizes cleanup time while maximizing heat transfer. The elliptical shape of the tubes eliminates sedimentation on tubes, improves shortening life and minimizes the number of times you have to drain fryer. The stainless steel tubes accommodate 150,000 BTUH burners with heat baffles for the best performance and recovery.

### STANDARD FEATURES

Stainless steel frypot has a **10 year** warranty

Stainless steel front panel, trim and door

Tube type design assures maximum heat transfer in the 18 wide frypot

Unique shape of tubes allows access to cold zone for easy cleaning

Burner tubes are equipped with special heat baffles for fast recovery and energy efficiency

Recessed Lexan faced control panel protects controls from damage

Stainless steel basket hangers lift off for easy cleaning and access to the backsplash

Dual shortening levels (70 to 100 lbs) for varying cooking capacities











ANETS INC PO BOX 501, CONCORD, NH 03302-0501 509 ROUTE 3A, BOW, NH 03304 TEL: 603-225-6684, FAX:603-225-8497 L10-496 R1 www.anets.com We reserve the right to change specifications without notice and without incurring any Obligation for equipment previously or subsequently sold.

## Model 18E

# Anets GoldenFry<sup>™</sup> 18" Fryer

### Model 18E



### SPECIFICATIONS

Model Certification BTUH Gas Pressure Gas Connection Electrical Requirements Thermostat Temperature Range Burners Hi-limit

Safety Pilot Spark Ignitor Frypot Tubes Cabinet

Shortening Capacity Cooking Capacity

Frying Area


### STANDARD ACCESSORIES


2 twin nickel plated basketsRack type basket supportClean out rod6 Adjustable chrome plated legsDrain pipe extensionPiezo ignitor

18E, 18 Gas fryer UL, NSF 150,000 NG 3.5 WC, LP 10 WC 3/4 NPT 18E, 120V, 2 Amps Electric snap action type 200 to 375F, (93-191C) Atmospheric pre-mix Safety control turns off main gas supply at 440F (227C) 100% gas shut off valve Piezo electric Stainless steel Stainless steel All Stainless Steel construction, excluding rear and bottom braces 70 - 100 lbs 75 lbs. of chicken per hour 110 lbs. of fries per hour 18 x 18 (46 x 46cm)


### **OPTIONS AND ACCESSORIES**

Fri-Tronic<sup>TM</sup> I12-product controller Filter systems, built-in Filtronic or Filter Mate under fryer filter (under 2 fryers) Automatic twin basket lifts (18AA) Stainless steel sides Shortening melter Multiple units can be banked at no additional charge Single or triple baskets Drain table Fryer cover Front drain tray Casters Electronic Ignition (Model 18E-EI)





### Side View



Front View



ANETS INC PO BOX 501, CONCORD, NH 03302-0501 509 ROUTE 3A, BOW, NH 03304 TEL: 603-225-6684, FAX:603-225-8497 L10-496 R1 www.anets.com We reserve the right to change specifications without notice and without incurring any Obligation for equipment previously or subsequently sold.