



AGR23 Refrigerator

Single Door Glass Reach-in Refrigerators

- Tested to NSF Standard 7 requirements for open food storage.
- Arctic Air products must pass numerous quality control inspections throughout the manufacturing process. All products are operated and monitored for a minimum of thirteen hours prior to packaging and shipping.
- Full one year parts and labor warranty and a five year compressor warranty.



Single Door Glass Reach-in Refrigerators

Stainless design • Stellar performance • Superior value.

- Electronic thermostat with external digital LED display for accurate control and easy reading.
- Interior cabinet is bright stainless liner with full stainless steel floor with coved corners.
- Three adjustable, heavy-duty epoxy coated wire shelves.
- Self-contained capillary tube system using environmentally friendly CFC free refrigerant.
- Exterior cabinet construction consists of full stainless steel front and sides.
- Condensate heating element built into condensate pan for efficient evaporation of excess water.
- Bottom mounted compressor for more efficient operation in coolest area of the kitchen.



- Self-closing lockable door.
- Magnetic door gasket is removable and replaceable without tools.
- Larger fan motors and blades for more efficient air flow ensuring faster recovery times.
- Front accessible, bottom mounted condensing unit is mounted on slide out rack for easy maintenance.
- Easy to mount casters (two lockable) are standard with all units.
- Tested to NSF Standard 7 requirements for open food storage.
- Full one year parts and labor warranty and a five year compressor warranty.

Model Number	External Dimensions Width Depth* Height**			Doors	Shelves	Cubic Feet	Temperature Range	Cord Length	HP	Amps	NEMA Plug	Crated Weight (lbs.)
AGR23	27.0"	31.25"	83.25"	1	3	23	33°F to 41°F	8′	1/3	6	5-15P	330

*Depth with door open 90° — AGR23 = 56.75". Handles add 2.25" to depth. **Height includes 5" for casters.

Optional Shelf Kit (#65333K)

Each kit contains one shelf and four mounting clips.







