


ANGLE LEDGE UTILITY RACK MODEL 207-1820

FEATURES AND BENEFITS:

- Durable utility rack for transport and storage of products on 18" x 26" pans and 14" x 18" trays.
- Fully welded framework of structural aluminum extrusions for rigidity and durability.
- Constructed of non-corrosive, Hi-Tensile aluminum for strength.
- Extruded angle ledge pan supports, riveted in place, accommodate heavy loads. Bottom of pan or tray rests on angle ledges. See reverse side for capacity and pan spacing.
- Heavy duty 5" swivel casters, two with brakes. Provides mobility when fully loaded.



207-1820




ACCESSORIES and OPTIONS (Available at extra cost):

- ☐ Pan Stop
- ☐ Corner Bumpers
- ☐ Vertical Bumpers
- ☐ Perimeter Bumper

See page G-36 for accessory details.






CRES COR MODEL NO.	PAN			DIM "A"	DIM "B"	DIM "C"	INSIDE DIMENSIONS				WEIGHT ACT.
	CAP	SIZE		WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH	HEIGHT		
207-1820	20	18 x 26	IN	22-7/16	29-5/8	69-3/4	18-5/8	28-7/8	61-1/2	LBS	75
		460 x 660	MM	570	755	1775	475	735	1565	KG	34

When ordering bumpers, add 2" to overall dimensions.

ALL CONSTRUCTION IS RIVETED, WELDED AND FINISHED.



Gold indicates our Best Rack with the best warranty in the industry.
3-Year Parts / 1-Year Labor with lifetime guarantee against rust & corrosion

- RACK:**
- Posts: Extruded channels, 1-1/16 x 2 x .125.
 - Top and bottom: Extruded channels, 1-1/16 x 2-3/8 x .188; welded to posts.
 - Casters: 5" dia., swivel, polyurethane tires, 1-1/4 wide, load cap. 250 lbs. each, temp. range -45°/+180°F. Delrin bearings. Two casters equipped with brakes.
- PAN SLIDES:**
- Extruded angles, 1-7/16 x 1-7/8 x .102; riveted to posts on 3" centers.

SHORT FORM SPECIFICATIONS

Cres Cor Utility Rack Model 207-1820. Extruded aluminum welded construction with angles riveted. Capacity (20) 18" x 26" pans on 3" centers. 5" swivel polyurethane casters, Delrin bearings. Load capacity 250 lbs. each, temperature -45° to +180°F. 3-Year Parts / 1-Year Labor warranty. Lifetime guarantee against rust & corrosion. Provide the following accessories: _____. NSF listed.