HEATED CABINETS



### MODULAR HOLDING CABINETS

## MC213S-2T, MC223S-2T, MC212S-2T, MC243S-2T, MC423S-2T **Individual Pan Timers**



	Model	Pan Depth*	Capacity			Overall Dimensions						1		l
	Number	Approximately										Ship	ping	l
						Height		Depth		Width		Weight		
			12 <sup>3</sup> /4"x20 <sup>3</sup> /4"	12 <sup>3</sup> /4"x10 <sup>3</sup> /8"	12 <sup>3</sup> /4"x6 <sup>5</sup> /8"	in	mm	in	mm	in	mm	lbs	kg	
	MC213S-2T	2 <sup>1</sup> /2" deep	-	-	2	14 <sup>7</sup> /8	378	1411/16	373	101/4	206	37	17	Ī
	MC223S-2T	2 <sup>1</sup> /2" deep	-	2	4	14 <sup>1</sup> /8	359	<b>14</b> <sup>11</sup> /16	373	17 <sup>1</sup> / <sub>4</sub>	439	50	23	l
	MC212S-2T	2 <sup>1</sup> /2" deep	2	4	6	12 <sup>1</sup> /2	318	<b>14</b> <sup>11</sup> /16	373	237/8	606	65	29	l
	MC243S-2T	2 <sup>1</sup> /2" deep	2	4	8	14 <sup>1</sup> /8	711	<b>14</b> <sup>11</sup> /16	373	31 <sup>1</sup> / <sub>4</sub>	794	75*	34	l
	MC423S-2T	2 <sup>1</sup> / <sub>2</sub> " deep	-	4	8	18 <sup>1</sup> / <sub>4</sub>	711	14 <sup>11</sup> /16	373	241/2	622	120*	54	l

\*Unit must be bolted to counter (Agency requirement for heavier cabinets)

**CONSTRUCTION...**All stainless steel double wall cabinet construction. Modular design with one controller and one pan cavity per module.

**CABINET MATERIAL...**All stainless steel construction; 20 gauge polished exterior. Each cavity has a scratch-resistant polymer lower surface with recessed aluminum plate. Lids are removable for holding drier foods and cleaning.

INSULATION... Millboard insulation, 2mm thick, on top, heater assemblies and each shelf.

LEGS... Four legs with adjustable rubber foot mounted to base of cabinet.

INTEGRATED PAN COVERS... Built-in, removable aluminum pan lids, notched and held in place with gravity. Easily removed, without tools, for cleaning or holding uncovered food products. Lids in place provide seals for pans containing moisture-sensitive food products.

**CONTROLLER...** Electronic temperature controls with countdown timers and audio/visual alarm. Allows user to program temperature in one degree increments from up to 195°F (91°C). Timer can be set for up to 9 hours, 59 minutes, in 1 minute increments. Three timers per slot. Countdown will convert to seconds when less than one minute is

PAN TIMERS... Individual timers for 1/3 size pans. MC213S-2T has 2 timers; MC223S-2T has 4 timers; MC212S-2T has 6 timers; MC243S-2T and MC423S-2T have 8 timers.

**HEATING SYSTEM...** For each shelf there is one silicone silicone pad heater vulcanized to bottom of of hard coat anodized aluminum plate. MC213S-2T: one 200 watt heater per shelf. MC212S-2T & MC243S-2T: one 300 watt heater per shelf. MC223S-2T & MC423S-2T: one 250 heater per shelf. Programmable controller, with a digital temperature and time display.

### **ELECTRICAL CHARACTERISTICS...**

MC212S-2T & MC243S-2T operate on 120 volts, 60 cycle, 600 watts, 5.0 amps, 15 amp plug. MC223S-2T operates on 120 volts, 60 cycle, 500 watts, 4.2 amps, 15 amp plug. MC312S-2T operates on 120 volts, 60 cycle, 400 watts, 3.3 amps, 15 amp plug. MC423S-2T operates on 120 volts, 60 cycle, 1000 watts8.3 amps, 15 amp plug. Six foot 3 wire rubber cord with 3 prong grounding plug.

### **OPTIONS & ACCESSORIES...**

- ☐Pass-through
- ☐Amber pans (specify size)
- ☐Additional food pan covers

Specifications subject to change through product improvement & innovation.



### CARTER-HOFFMANN

Carter-Hoffmann is a trademark of Carter-Hoffmann, LLC. Printed in U.S.A. E88

# Tel. (847)362-5500 · (800)35 CARTER-HOFFMANN www.carter-hoffmann.com

# MODULAR HOLDING CABINETS Models MC312S-2T, MC223S-2T, MC212S-2T, MC243S-2T

Since 1947, Foodservice Equipment That Delivers!



**REMOVABLE FOOD COVERS...** Prevent moisture loss and food deterioration and allow extended holding times. Easily removed for cleaning.

ALL STAINLESS STEEL CABINET WITH NO MOVING PARTS... For durability and easy cleaning.

**CONTROLS FOR EACH SHELF WITH INDIVIDUAL PAN TIMERS...** Each shelf can be set to single temperature, with timers for each 1/3 size pan on the shelf.



LIGHTWEIGHT MODULAR DESIGN... For

adaptability to a wide range of uses and a variety of spaces.

**EFFICIENT HEATING...** Heat is directly transferred to the food product with minimal heat loss.





### MODULAR FOOD HOLDING BENEFITS...

- -Maintain quality, consistency and freshness of food
- -Improve food safety
- -Increase efficiency and improve speed and quality of service
- -Reduce food waste and ensure constant availability of product
- -Lower training costs, simplify staff training and supervision
- -Allows more flexible holding options for greater menu variety



