

Profit from the Eagle Advantage®

Specification Sheet

Short Form Specifications

Eagle One, Two, or Three Compartment Sinks, model ______, with 2"-wide "Euro-Style" edging on front and sides. Unit constructed of heavy gauge type 430 stainless steel top and sink bowls. Sinks to be deep-drawn, seamless and have all corners coved. Drainboards, when required, shall be "V" creased for positive drainage. 9½" high backsplash with 1" upturn and tile edge. Legs to be 1½" O.D. galvanized tubing, with front-to-back crossbracing, and 1" high impact plastic adjustable bullet feet.



Options / Accessories

- ☐ Stainless steel legs
- ☐ Stainless steel bullet feet
- ☐ White metal bullet feet
- ☐ Lever drains
- ☐ Twist handle drains
- ☐ Twist drain brackets
- □ Faucets
- ☐ Sink covers
- Waste outlet
- ☐ Sink kits
- Overflow hole

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA Phone: 302-653-3000 • Fax: 302-653-2065

Filulie. 302-033-3000 • Fax. 302-033-200

www.eaglegrp.com

Foodservice Division: Phone 800-441-8440 MHC/Retail Display Divisions: Phone 800-637-5100

For custom configuration or fabrication needs, contact our **SpecFAB® Division**. Phone: 302-653-3000 • Fax: 302-653-3091 • e-mail: specfab@eaglegrp.com

Item No.:	
Project No.:	
S.I.S. No.:	

412 Series Sinks

MODELS:

□ 412-16-*	☐ 412-16-*-24L	□ 412-24-*-18R
□ 412-16-*-18	☐ 412-16-*-24R	412-24-*-24
□ 412-16-*-18L	□ 412-24-*	☐ 412-24-*-24L
□ 412-16-*-18R	□ 412-24-*-18	□ 412-24-*-24R

□ 412-16-*-24 □ 412-24-*-18L

Materials

- Sink bowls: Heavy gauge type 430 stainless steel.
- Top: Drainboards, backsplash and euro-style edging are heavy gauge type 430 stainless steel.
- Legs: 1%" (41mm)-diameter heavy-gauge galvanized tubing with plated 12-gauge gussets and high-impact corrosion resistant fully adjustable bullet feet.
- Crossbracing, running front-to-back, is 1" (25mm)-diameter heavy-gauge galvanized tubing.

Design and Construction Features

- All bowls have deep-drawn one-piece seamless construction, using state-of-the-art hydraulic presses.
- All sink bowls have a generous radius—3" (76mm) minimum—and are rectangular for maximum capacity.
- 10½" (267mm) water level 13½" (343mm) flood level.
- 44½" (1130mm) overall height.
- Entire assembly is fuse-welded and planished, providing a one-piece seamless sink unit.
- Drainboards, when provided, are integrally welded.
- 9½" (241mm)-high full length standard backsplash features 1" (25mm) upturn and tile edge for easy installation and feathering to wall/splash surface.
- Welded areas are blended to match adjacent surfaces with continuity of satin finish.
- Leg gussets are welded to a die-cut heavy gauge reinforcing plate.
- Leg gusset assemblies welded adjacent to sink bowls, providing increased stability and maximum weight support.

Mechanical:

- Water supply is $\frac{1}{2}$ " (13mm) IPS for hot and cold lines.
- Faucet holes are 1½" (29mm), punched on 8" (203mm) centers; two sets of faucet holes are punched where indicated on chart (back page).
- Basket-type waste drains included fit sink bowls' 3%" (89mm) opening and feature 1%" (38mm) outlet.

Certifications / Approvals





EG20.03 Rev. 06/12

^{*} See charts on back page for full model numbers.



Item No.:	
Project No.:	
S.I.S. No.:	


412 Series Sinks

Sinks with One Compartment

_	<u>├</u> ——∟	<u> </u>	<u>├</u> L
w o	0		o w
		<u>. </u>	<u></u>
TOP	VIEW OF ON	F-COMPARTME	NT SINKS

	bov	vI dir	ne n s	ions	drain	over	all d						
	wi	dth	lth length		length		width		length		wei	ght	
model #	in.	mm	in.	mm	quantity	in.	mm	in.	mm	in.	mm	lbs.	kg
412-16-1	20"	508	16"	406	0	-		27½"	699	23¼"	591	40	18.1
412-16-1-18R or L	20"	508	16"	406	1	18"	457	27½"	699	387/8″	987	59	26.8
412-16-1-18	20"	508	16″	406	2	18″	457	27½"	699	54½"	1384	78	35.4
412-16-1-24R or L	20"	508	16"	406	1	24"	610	27½"	699	447/8″	1140	65	29.5
412-16-1-24	20"	508	16″	406	2	24"	610	27½"	699	66½"	1689	90	40.8
412-24-1	24"	610	24"	610	0	_		31¾"	807	31½"	800	60	27.2
412-24-1-18R or L	24"	610	24"	610	1	18"	457	31¾"	807	46¾"	1188	79	35.8
412-24-1-18	24"	610	24"	610	2	18″	457	31¾"	807	62"	1575	98	44.5
412-24-1-24R or L	24"	610	24"	610	1	24"	610	31¾"	807	52¾"	1340	85	38.6
412-24-1-24	24"	610	24"	610	2	24"	610	31¾"	807	74"	1880	110	49 9


Sinks with Two Compartments



TOP VIEW OF TWO-COMPARTMENT SINKS

	bowl dimensions				drain	over	all d												
	wic	dth	len	igth		length		length		length		length		wid	th	len	gth	wei	ght
model #	in.	mm	in.	mm	quantity	in.	mm	in.	mm	in.	mm	lbs.	kg						
412-16-2	20"	508	16″	406	0		-	27½"	699	41"	1041	64	29.0						
412-16-2-18R or L	20"	508	16"	406	1	18″	457	27½"	699	56¾″	1438	83	37.6						
412-16-2-18	20″	508	16″	406	2	18″	457	27½"	699	721/4"	1835	102	46.3						
412-16-2-24R or L	20"	508	16"	406	1	24"	610	27½"	699	62¾"	1591	89	40.4						
412-16-2-24	20″	508	16″	406	2	24"	610	27½"	699	841/4"	2140	114	51.7						
412-24-2	24"	610	24"	610	0		-	31¾″	807	57½"	1461	90	40.8						
412-24-2-18R or L	24"	610	24"	610	1	18″	457	31¾"	807	72¾"	1847	109	49.4						
412-24-2-18	24"	610	24"	610	2	18″	457	31¾"	807	88"	2235	128	58.1						
412-24-2-24R or L	24"	610	24"	610	1	24"	610	31¾"	807	78¾"	2000	115	52.2						
412-24-2-24	24"	610	24"	610	2	24"	610	31¾"	807	100"	2540	140	63.5						

Sinks with Three Compartments



	bowl dimensions				drain	over	alld						
	wie	dth	ler	igth		length		length width		width length		weight	
model #	in.	mm	in.	mm	quantity	in.	mm	in.	mm	in.	mm	lbs.	kg
412-16-3	20"	508	16"	406	0		-	27½"	699	58¾"	1492	85	38.6
412-16-3-18R or L	20"	508	16"	406	1	18"	457	27½"	699	745//"	1895	104	47.2
412-16-3-18	20"	508	16″	406	2	18″	457	27½"	699	90"	2286	123	55.8
412-16-3-24R or L	20″	508	16″	406	1	24"	610	27½"	699	80¾"	2042	110	49.9
412-16-3-24	20″	508	16″	406	2	24"	610	27½"	699	102"	2591	135	61.2
412-24-3 *	24"	610	24"	610	0		-	31¾"	807	83½"	2121	125	56.7
412-24-3-18R or L *	24"	610	24"	610	1	18″	457	31¾"	807	98¾"	2508	144	65.3
412-24-3-18 *	24"	610	24"	610	2	18″	457	31¾"	807	114"	2896	163	73.9
412-24-3-24R or L *	24"	610	24"	610	1	24"	610	31¾"	807	104¾″	2661	150	68.0
412-24-3-24 *	24"	610	24"	610	2	24"	610	31¾"	807	126"	3200	175	79.4

^{*} Features two sets of faucet holes.

EAGLE GROUP

100 Industrial Boulevard, Clayton, DE 19938-8903 USA

Phone: 302-653-3000 • Fax: 302-653-2065

www.eaglegrp.com

Foodservice Division: Phone 800-441-8440 MHC/Retail Display Divisions: Phone 800-637-5100

Printed in U.S.A. ©2012 by Eagle Group Rev. 06/12