JUICE BAR SOLUTIONTION


CENTER OF ALL YOUR FOOD SERVICE NEEDS

ANTIOS

M **P**ANI

CITRUS JUICER WITH PATENTED EZ-CLEAN SYSTEM - 140 Liter/ Hr

Item #: 39684 Model: SANTOS #68





Authorized Dealer






JUICE BAR SOLUTION CITRUS JUICER -140 Liters/ Hr



Diagram



For all fruits and vegetables (citrus fruits must be peeled). Continuous juice production by centrifugal action and automatic pulp ejection.

The centrifugal juice extractor "Miracle Edition" #68 is the result of Santos 60 years worldwide experience. The Miracle Edition offers you high efficiency with an innovative design.

PRODUCT SPECIFICATIONS			
ITEM NUMBER	39684	ELECTRICAL	120V/ 60Hz/ 1
MODEL	Santos #68	CURRENT	10.8A
PRODUCTION (PER HOUR)	140L/ 147 Qts	WEIGHT	25 kg / 55 lbs.
POWER	1300 Watts	PACKAGING WEIGHT	28 kg/ 62 lbs.
HP	1.74	DIMENSIONS	22" x 13" x 24"
RPM	3600	PACKAGING DIMENSIONS	26" x 15.4" x 23.6"

OMCAN INC.

Telephone: 1-800-465-0234 Fax: (905) 607-0234 E-mail: sales@ omcan.com Website: www.omcan.com





Follow us to keep up to date with the latest news and offers



JUICE BAR SOLUTION CITRUS JUICER -140 Liters/ Hr





Reliability, Sturdiness, Performance

- Full stainless steel food-zone: no aluminum
- Easiness: **new generation patented Ezy-Clean System II** which saves your time (you can easily remove the cover, bowl and basket thanks to the new ergonomics). Extremely sturdy: no plastic in the shifter area.

- **Comfort:** no need to cut apples, carrots, tomatoes thanks to the wide feeding chute (79.5 mm diameter)

- Even more efficiency: output up to 140 L/hr, motor and baskets are calibrated, rotating at the ideal speed to extract the maximum juice.

- **Perfect filtration,** hugh quality, juice without any fruit pulp of the fruit, even for intensive use.

- **Preservation of vitamins**: keeps all the vitamins from fruits and vegetables

Safety, Standards, Hygiene

In accordance with the following regulations:

Machinery directive 2006/42/EC Electromagnetic compatibility 2004/108EC Electrical equipment designed for use within certain "low voltage" 2006/95/EC RoHs directive 2002/95/EC Regulation 1935/2004/EC (contact with food)

Thermal safety:

- Motor protected by internal thermal detector.

Electric safety:

- On / Off switch detects no voltage
- All mechanical parts are ground (earth) connected
- Appliances are 100% tested after assembly.

Harmonized European standards:

EN ISO 12100 - 1 and 2:2004 EN 60204 - 1:2006 EN 12547 + AI: 2009 Juice extractors EN 60335 - 2-64: 2004 Commercial electric kitchen machines CE (European standards)

Acoustic safety:

The asynchronous motor is particularly silent.

Hygiene:

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water.

Mechanical safety:

A friction brake immediately stops the basket when opening the handle

OMCAN INC.

Telephone: 1-800-465-0234 Fax: (905) 607-0234 E-mail: sales@ omcan.com Website: www.omcan.com







