

Designer Series Electric Hot Plate

Item:	
Quantity:	
Project:	
Approval:	
Date:	

Μ	\cap	Ч	م	s:

☐ ED-15THSE



Model ED-15THSE

Standard Features:

- · Stainless steel front and sides
- Two 7-1/2" (192 mm) diameter sealed elements
- Each element rated 2000 watts
- Each element controlled by a switch with six heat positions that automatically cycles down to a low heat when left unused
- · Heat-On indicating lamps
- 4" (102mm) stainless steel legs
- One-year limited parts & labor warranty (USA & Canada only)

Optional Features:

Stainless steel back and bottom

Note: Stand is available see form # CS24/CSD

Specifications:

Dependable 7-1/2" (192 mm) diameter sealed solid element hot plate and recessed top ensure quicker clean-ups. Each plate element is controlled by a switch with six heat positions. Elements are protected with a high limit which automatically reduces power to prevent over heating.












Total kW Load kW Load Per Phase				Nominal Amperes Per Line											
				Single	3-Phase										
2001/	2401/		208V 240V 200 240		240	208			240						
208V	240V	X-Y	Y-Z	X-Z	X-Y	Y-Z	X-Z	208	240	Х	Υ	Z	Х	Υ	Z
4.0	4.0		2.0	2.0		2.0	2.0	19.2	16.7	9.5	9.5	16.7	8.3	8.3	14.4


FOR VOLTAGE OPTIONS OUTSIDE NORTH AMERICA, PLEASE CONTACT THE FACTORY

Over	rall Dimens	iona		Clear	ances			. .
Ove	rali Dimens	SIONS	Installation Entry			try	Cu. Ft.	Shipping Weight
Н	w	D	Sides	Rear	Crated	Uncrated		weight
11-1/4" (286mm)	15" (381mm)	24" (610mm)	1-1/2" (38mm)	1-1/2" (38mm)	18-1/2" (470mm)	15" (381mm)	5	50lbs. (23kg)



Garland products are not approved or authorized for home or residential use, but are intended for commercial applications only. Garland will not provide service, warranty, maintenance or support of any kind other than in commercial applications.

NOTE: - All 208V 1 phase 60 hZ models will be equipped with a 4-ft (1219mm) power cord and NEMA L6-30P plug (HUBBELL HBL2621 or equivalent)



Form# ED-15THSE (07/26/11)

