Item # _

Quantity _____

C.S.I. Section 11400

HOBART

701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com

QUANTUM SERVICE SCALE SYSTEM

STANDARD FEATURES

- Full capacity tare
- Dual price frequent shopper labeling
- NSF Certified, UL Listed
- Lowest profile of any comparable scale on the market 5¼" high.
- ATM style console with LCD graphics display
- 32 flashkeys
- Graphics capability
- Retailer defined security
- Easy cassette label loading system
- Large label roll capacity
- Custom label sizes and formats available from 1.75" to 10" length
- Weighing capability
 - □ 30 lb. x 0.01
 - □ 50 lb. x 0.01 graduations
 - □ Dual Range 12 lb. x 0.005, 30 lb. x 0.01
 - □ 300 lb. x 0.1 (with optional platform scale)

MEMORY

- 2.5 MB RAM standard (approximately 6,000 PLU's with basic item information)
- □ Expandable memory up to 4.5 MB RAM in 2 MB increments

PROGRAMMABILITY

- Manual entry with keypad or attached keyboard
- Network via serial, TCP/IP, or wireless communications
- Disk backup and restore

COMMUNICATIONS CAPABILITY

- Serial RS485
- TCPIP Hardwired Ethernet
- □ TCPIP Wireless Ethernet
 - Uses PCMCIA Card Adapter (Symbol, Cisco, others)
 - B02.11 b 2 Mb and 11 Mbit
- Security
 - 128 bit WEP encryption
 - LEAP authentication
 - VPN security

MODEL

QUANTM1-1 – Stand Alone Quantum1-1

OPTIONAL ACCESSORIES

- □ F-19403 Operator Manual
- □ F-34350 Supervisor Manual
- □ Manuals on CD P/N 00-442330
- Gish Platter
- Candy Scoop
- □ Wide label cassette 2¼" wide
- □ Narrow label cassette 11/2" wide
- 2 MB RAM memory
- NSW & HWS printer post, bracket & scale support
- Computer, IBM XT-type keyboard
- Print head cleaning kit
- Disk Player/Recorder external back-up disk drive
- Manuals on CD QUANTM-SUPMAN
- Keyboard Adapter for AT and PS2 style KYBADP-ATPS2
- □ 300 lb. weigher platform QUANTHC-1
- Flash Upgrade upgrade operating system and add features via your network
- □ Buyer's Assurance Second year extended warranty

Specifications, Details and Dimensions on Inside and Back.







QUANTUM SERVICE

SCALE

Π

701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com

QUANTUM FEATURES:

Lowest profile of any comparable scale on the market – $5^{1/4}$ " high.

OPERATOR'S CONSOLE

- ATM style, high resolution vacuum fluorescent pivoting display: provides clear, concise graphic images which ensures best operator viewing.
- All PLU data is displayed on screen: Product number, unit price, by count, weight, tare, shelf life, sell-by, best-before, packed-on, freeze-by, UPC#, net weight, total price, label type, label format, graphics, and customer marquee message for verification.

NOTICE: Fluorescent lamp in display panel contains a small amount of mercury. Please dispose of according to local, state or federal laws.

- Seven position screen adjustments ensure best viewing angle, avoid glare.
- Retailer defined operator security is accessed by operator ID on the console.
- Eight "F" Function keys located to the right of the display screen are used to make menu selections and accelerates product look-up. Data is immediately accessed.
- Four "S" Function keys located below the display screen are used to swiftly select operator ID, PLU search & entry and Retailer defined macros.

SUPERIOR OPERATOR FUNCTIONS

- Help key Quantum is equipped with context sensitive HELP-Key functions to assist in quick, efficient scale operation.
- Flash keys Allow easy access to PLU Search and Entry.
 - Maximum (32) FLASH KEYS displayed per screen at one time.

Zero Blue Soft Ripened	BRIE	GORGNZOLA CREAMY	gorgnzola Crumble
LIMBURGER	ITALIAN, SHARP	DANBO, Danish, Spiced	ROQUEFORT
MUENSTER	EDAM, IMPORTED	gouda, Imported	PROVOLONE
MAIN DELI (Go to page 1)		END (Go to page 200) pg. 36	

 Unlimited multiple screens can be programmed to Mirror your display case.

Weigh types (modes of operation)

- □ Wait on a customer
- Prepackaged Products
- Print Multiple Labels
- Production Entry
- Accumulate Items
- Verify Fixed Weight
- Forced Price
- Forced Tare
- Total Types

Total types allow the Retailer/Supervisor to audit and track ALL Totals types. PRODUCTION totals are permanently configured. In contrast, the Retailer/ Supervisor can configure additional total types required for your operation. Examples:

- AD ITEMS
- CUTTING TEST
- □ RE-WRAPS
- MANAGER'S SPECIAL
- □ NEW ITEMS
- □ COUPON ITEMS
- □ MARK DOWNS MARK UPS

Class totals track product categories. Hourly totals can assist in scheduling Operator ID. Totals track operator productivity.

HOBART

701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com

QUANTUM SERVICE SCALE SYSTEM

MEMORY CAPACITY

- 2.5 MB RAM standard memory. (Approximately 6,000 PLU's with basic item information.)
- Expandable up to 4.5 MB RAM in 2 MB increments.
- Battery back-up for memory retention for up to 100 hours.

MEMORY PROGRAMMING FORMATS

- Through the external IBM XT/AT/PS2 type computer keyboard, or
- Manually through the Supervisor's QWERTY keyboard.
- IntraNet Intradepartment Network. Allows high speed programming to be performed by connecting the data of all scales in the department through a Client Server arrangement.
- Mini Net allows programming to be performed by each department on its own individual network.
- Disk Player Recorder or External Disk Drive file transfer.

DISK PLAYER RECORDER



- Information Tracker provides the supervisor information.
- Any price or tare change is recorded by PLU, date and Operator ID.

ITEM FILE INFORMATION STORED IN MEMORY

- PLU number 1 to 6 Digits
- UPC Numbering Systems
 - 2 & 4 Random Price
 - 0, 6, & 7 Fixed Price
- UPC Number 1 to 10 Digits
- Portrait Description UP TO 2,000 Characters
- Landscaped Description UP TO 2,000 Characters
- Special Message up to 2,000 Characters
- Portrait Expanded Text UP TO 2,000 Characters
- Landscaped Expanded Text UP TO 2,000 characters
- FDA Nutri-Data Template
- Tare Maximum of 30.09 lbs.
- Shelf Life UP TO 997 Days
- Product Life UP TO 997 Days
- Class/Category Number 1 to 6 Digits
- Graphic 1 Graphic per PLU code
- Graphic 1 Graphic logo per store
- Label Type Assigned by PLU by Retailer/Supervisor or Operator for primary and secondary printer.
- Marquee Messages

REAR CUSTOMER DISPLAY INCORPORATES MERCHANDISING DISPLAY

- Four crisp, clear, bold marquee formats:
 - 1. Permanent Message
 - 2. Daily Message
 - 3. Linked message by PLU for cross merchandising
 - 4. 24 timed Daily messages Capacity 8,760 messages per year or (1) different message per hour every day of the year!

SCROLL, FLASH, HOLD, BLINK!

Customize each message as it is displayed.



701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com

LABELS AND PRINTING OPTIONS:

LABELS

Cassette label loading system provides fast and efficient change of label stock or easy label size change for merchandising flexibility.

PRINTING

The Quantum thermal printhead requires no ink or ribbon.

Preprinted labels may be printed with a customer logo and/or other information.

When using blank labels, the Quantum can be set up to print all of the necessary information including store logo.

Print fields available:

- □ Store Name & Address 2 lines
- Bar Code Portrait Top or Bottom
- □ Bar Code Landscaped Left or Right
- □ PLU Description Up to 4 lines
- □ FDA Nutri-Data Template
- □ Expanded Text Up to 108 lines
- Net Weight (1/4' Format) in Ounces, Pounds or Kilograms

- Time
- Tare
- Operator ID
- Operator Name
- □ Special Message UP TO 108 lines
- Merchandising Graphic
- □ Sell-by
- Packed-on
- Product Life
- □ Freeze-by
- □ Weight/Count
- Unit Price
- Total Price
- Store ID
- Customer Store Graphic Logo

NETWORKING

□ Work with scale manegment software such as: Plum, ADC, Interscale & Perisable solutions.



701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com


QUANTUM SERVICE SCALE SYSTEM

LABELS & PRINTING OPTIONS

LANDSCAPE FORMAT


- □ 1½" x 2"
- □ 1½" x 3"
- □ 1½" x Continuous
- □ 2¹/₄" x 3"
- □ 2¹⁄₄" x 4¹⁄₂"
- □ 2¼" x 6"
- □ 2¼" x 8"
- □ 3" x 1½"
- □ 4¹/₂" x 2¹/₄"
- □ 6" x 2¼"
- □ 8" x 2¼"






QUANTUM SERVICE SCALE SYSTEM

LABELS & PRINTING OPTIONS





DESCRIPTION - FONT SP10 2 LINES 32 CHARACTERS				
GRAPHIC ART				
Sell By Dec 13, 96	FONT - HOBART 18			
Net W1/C1 1.14 lb	Unit Price Total Price \$1.99/lb \$7.77			
	Hobart Corporation Trou, Onio 45374			
DESCRIPTION - SP10 2 LINES 32 CHARACTERS				
GRA	PHIC ART			
EXPANDED TEXT - F 45 CHARACTERS AU 4 5 6 7 8 9 BIO TOTAL CHE 10	UNT HUBART IG ROSS			
11 12 13 14 15 16 17 18 LINES DOWN	RACTERS			
Sell By Dec 13, 96 Net Wt/Ct	FONT - HOBART 18 Unit Price Total Price			
Net Wt/Ct 1.13 lb	\$1.99/16 \$2.25			
Hobart Corporation Troy, Ohio 45374				

HOBART

701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com

PORTRAIT FORMAT

- □ 1½" x 1"
- □ 1½" x 2"
- □ 1½" x 3"
- □ 1½" x Continuous
- □ 2¹⁄₄" x 1³⁄₄"
- □ 2¹⁄₄" x 2³⁄₈"
- □ 2¹/₄" x 3"
- □ 2¼" x 4"
- □ 2¹⁄₄" x 4¹⁄₂"
- □ 2¹/₄" x 8"
- □ 2¼" x 10"
- 2¹/₄" x Continuous

HOBART

701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com

QUANTUM SERVICE SCALE SYSTEM

LABELS & PRINTING OPTIONS

MERCHANDISING GRAPHICS

Design your own labels – We'll create them!



FONTS

HOBART 18 Hobert 19 HOBART 12 Hobert 12 HOBART 14 Hobert 14 HOBART 18 Hobert 18 HOBART 20 Hobert 20 HOBART 24 Hobert 24

ULTIMA 16 Ultima 16 ULTIMA 18 Ultima 18 ULTIMA 24

ULTIMA 36

SP10 sp10 SP14 sp14 London 18 LONDON 24 LONDON 36 London 36

QUANTUM SERVICE SCALE SYSTEM

701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com

HOBART

DETAILS AND DIMENSIONS


PLATTER: Stainless steel 14" wide x 15" deep


CAPACITY: 30 lb. x 0.01 Graduations Unit Price – \$999.99, Total Price – \$999.99

ELECTRICAL: 120 volts, 60 Hz, single phase, 1.5 amps, 180 watts. 9 foot standard cord cap with ground type plug furnished. Battery back-up 100 hours.

WEIGHT: (Approximate) net 331/2 lbs., shipping 391/2 lbs.

NATIONWIDE SERVICE: Same day Hobart Service provided for your: Bakery, Deli, Seafood, Produce, Floral, Photo, Food Service, Sushi, Coffee, Juice Bar, Service Meat and other perishable departments enables you to serve your customers quickly.





As continued product improvement is a policy of Hobart, specifications are subject to change without notice.