

• PRODUCT SPECIFICATIONS SHEETS



• Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity

Self-Contained	D-CBS40E-4C	D-CBS40E-6C	D-CBS40E-8C
Length with (2) ends	51"	75"	99"
Length without ends	48"	72"	96"
Height with ends	53"	53"	53"
Height without ends	52-1/2"	52-1/2"	52-1/2"
Depth with ends	40"	40"	40"
Depth without ends	38-7/8"	38-7/8"	38-7/8"
Endless Design	YES	YES	YES
(Dimensions are +/-1/4")			

• Specification subject to change without notice

## **Standard Specifications and Optional Features**

<b>CONSTRUCTION</b> Foamed in place CFC free foam Heavy gauge steel super structure Single duty display Endless design allows for continuous line up Drain is included for cleaning Extra wide double bend curved glass ( <i>enhances</i> <i>product display</i> )	FINISHES Grey finish extrusion on doors and door tracks Designer white exterior front and ends Stainless steel mirror trim Stainless steel heavy gauge top- 13-3/4" W Rear of unit is stainless steel brush finish at top Bottom rear is designer white aluminum
<b>INTERIOR</b> White interior ends 2 rows of glass shelving White aluminum floor (main deck area) Epoxy coated main deck shelves	REFRIGERATION
<b>EXTERIOR</b> Double pane rear removable doors Rear doors use the McGlide door system** (for easy access)	<b>LIGHTING</b> 1 Row of T8 lighting at top of unit
Newly designed compression door jamb Removable front grille allows for cleaning Removable rear grille for easy servicing 1-1/2" removable end panels Front bumper 2"- gray	**McGlide door system is built with a extra tight door jam which helps seal the door tight when closed and prevents cold air from leaving the unit saving energy costs.
ELECTRICAL REQUIREMENTS ELECTRICAL REQUIREMENTS 115V/60Hz/1Ph Unit must be hard wired 115V-12AMP general purpose receptacle wired separately	<u>Important Note:</u> All refrigerated cases are designed to operate in an environment of 75 degrees and 55% relative humidity. <u>Important Note:</u> Product must be cooled before being displayed within the case.

### **OPTIONAL FEATURES**

Scale stand	Lights for mezzanine shelf
Paper cutter	Drop work shelf
Stainless steel, laminate, or paint	Door locks
Mirrored doors	Door locks Digital thermometer

A Division of HMC Enterprises LLC • 2501 Grant Avenue • Philadelphia, PA 19114 USA

(215) 464-6800 • 1-800-344-8222 • Fax (215) 969-4890 • E-Mail: sales@howardmccray.com • www.howardmccray.com

## **Technical Data**

Model	Self contained	D-CBS40E-4C	D-CBS40E-6C	D-CBS40E-8C
Length with (2) ends Length without ends Height with ends Height without ends Depth with ends Depth without ends Endless design (Dimensions are +/- 1/4")		51" 48" 53" 52-1/2" 40" 38-7/8" Yes	75" 72" 53" 52-1/2" 40" 38-7/8" Yes	99" 96" 53" 52-1/2" 40" 38-7/8" Yes
Operating temperature Refrigerant (expansion valve) Compressor size- HP Electrical control settings at 75°F, 55%RH Defrost per day (24 hours) BTU's at +20°F Evap. Temp. Voltage Amperage- lights only Cord and plug		N/A N/A N/A N/A N/A 115V 0.8A No	N/A N/A N/A N/A N/A 115V 1.3A No	N/A N/A N/A N/A N/A 115V 1.6A No
Exterior color Interior color Inside end panels Floors # Of top doors # Of coils Bottom storage Front glass Main deck shelf # Shelf size Mezzanine shelf Cubic Capacity (ft <sup>3</sup> )		White Stainless White 2 N/A No Curved 2 23-1/2"X32-5/8" 2 Rows 24.5	White Stainless White 2 N/A No Curved 3 23-1/2"X32-5/8" 2 Rows 36.8	White Stainless White 4 N/A No Curved 4 23-1/2"X32-5/8" 2 Rows 49

### SHIPPING INFORMATION

Height	Self contained	58"	58"	58"
Depth		44"	44"	44"
Length		61"	87"	109"
Gross weight		530#	741#	897#
Cubic feet	Remote	497# 89ft <sup>3</sup>	693# 128ft <sup>3</sup>	832# 164ft <sup>3</sup>

• Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity

Cases are equipped with washout drains; check your local building codes for connection requirements.
Specification subject to change without notice

A Division of HMC Enterprises LLC • 2501 Grant Avenue • Philadelphia, PA 19114 USA

(215) 464-6800 • 1-800-344-8222 • Fax (215) 969-4890 • E-Mail: sales@howardmccray.com • www.howardmccray.com

Technical Data • Side View • Plan View

