

Open Merchandisers-32 Series Multi Purpose 44"H - Refrigerator Endless Design

• PRODUCT SPECIFICATIONS SHEETS



• Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity

Self-Contained Remote	S32E-3 R-S32E-3	S32E-4 R-S32E-4	S32E-6 R-S32E-6
ength with ends	38"	50"	74"
ength without ends	36"	48"	72"
leight with ends	44"	44"	44"
leight without ends	43-7/8"	43-7/8"	43-7/8"
Depth with ends	30-1/2"	30-1/2"	30-1/2"
Depth without ends	30"	30"	30"
Dimensions are +/-1/4")			

• Specification subject to change without notice

Howard-McCray

Open Merchandisers-32 Series Multi Purpose 44"H - Refrigerator Endless Design

Standard Specifications and Optional Features

	1
CONSTRUCTION UL Classified to ANSI/NSF 7 Foamed in place CFC free foam Heavy gauge steel super structure Endless design allows for continuous line up	FINISHES Designer white or black end panels Designer white or black front rail Designer white or black front color band Designer white or black end trim
INTERIOR Designer white or black end panels Removable designer white or black floor racks Designer white or black perforated rear wall <i>(for</i> <i>even air distribution)</i> 3 tier step rack	REFRIGERATION R134a expansion valve system Automatic condensate Low velocity fans located below deck area (to insure even flow of air) Pressure control maintains constant temperatures Auto defrost controlled by time clock (self con- tained units only) Air screen technology Self contained system Copeland hermetic unit Remotes available
EXTERIOR Designer white or black ends and front Designer white or black color-band Designer white or black end trim Removable front grille allows for cleaning and servicing	LIGHTING
ELECTRICAL REQUIREMENTS 115V/60Hz/1Ph Cord and plug provided UL/CUL listed	<u>Important Note:</u> All refrigerated cases are designed to operate in an environment of 75 degrees and 55% relative humidity. <u>Important Note:</u> Product must be cooled before being displayed within the case.

(ALL WHITE OR ALL BLACK, NO EXTRA CHARGE-IF COLORS ARE MIXED AN ADDITIONAL CHARGE WILL APPLY)

OPTIONAL FEATURES

Rear grille Digital thermometer Sandwich/ fruit racks	Stainless steel, laminate or paint Night cover Peg bars Glass shelf
	Glass shelf



A Division of HMC Enterprises LLC • 2501 Grant Avenue • Philadelphia, PA 19114 USA (215) 464-6800 • 1-800-344-8222 • Fax (215) 969-4890 • E-Mail: sales@howardmccray.com • www.howardmccray.com

Open Merchandisers-32 Series Multi Purpose 44"H - Refrigerator Endless Design

Technical Data

Model #	Self contained	S32E-3	S32E-4	S32E-6
	Remote	R-S32E-3	R-S32E-4	R-S32E-6
Length with ends Length without ends Height with ends Height without ends Depth with ends Depth without ends (Dimensions are +/- 1/4")		38" 36" 44" 43-7/8" 30-1/4" 30"	50" 48" 44" 43-7/8" 30-1/4" 30"	74" 72" 44" 33-7/8" 30-1/4" 30"
Operating temperature Refrigerant (expansion valve) Compressor size HP Pressure control settings @ 75°F, 55%RH	Self contained Self contained CUT IN CUT OUT		36°F to 40°F R134a 1/2 29 12	36°F to 40°F R134a 3/4 29 12
Defrost per day (24 hours) BTU's at +20°F Evap. Temp. Voltage Amperage Amperage Cord and plug	Air Defrost Remote Self contained Remote	6 @ 20 min. 3100 115V 11.3A 0.7A Yes(15A)	6 @ 20 min. 4130 115V 11.3A 0.7A Yes(15A)	6 @ 20 min. 6200 115V 16.0A 1.4A Yes(20A)
Exterior color Interior color Inside end panels Floors		White White White White	White White White White	White White White White

(ALL WHITE OR ALL BLACK, NO EXTRA CHARGE-IF COLORS ARE MIXED AN ADDITIONAL CHARGE WILL APPLY)

SHIPPING INFORMATION


Height Depth Length Gross weight	Self contained Remote	49" 44" 61" 365# 240#	49" 44" 61" 410# 285#	49" 44" 87" 505# 355#
Cubic feet		75ft ³	75ft ³	75ft ³

Cases are designed to operate at 75 degrees Fahrenheit and 55% relative humidity

Specification subject to change without notice

Open Merchandisers-32 Series Multi Purpose 44"H - Refrigerator Endless Design

Technical Data • Side View • Plan View



A Division of HMC Enterprises LLC • 2501 Grant Avenue • Philadelphia, PA 19114 USA (215) 464-6800 • 1-800-344-8222 • Fax (215) 969-4890 • E-Mail: sales@howardmccray.com • www.howardmccray.com