





## **Features**

- High-capacity activated carbon filtration makes ice free of taste or odor, and protects equipment against corrosive chlorine.
- Patented IsoNet scale inhibiting technology helps protect equipment against scale (lime-scale) and corrosion.
- Gradient-density sediment filtration reduces dirt and other suspended particulates as small as 1/2 micron.
- Improves ice maker operating efficiency.
- Reduces maintenance and extends equipment life.
- 1/4 turn Quick-Twist cartridge makes changing filters quick and easy.
- IFQ1 & IFQ2 are NSF Certified under Standard 42.

| IFQ SERIES FILTER SYSTEM |               |  |                             |                             |                                    |                         |  |
|--------------------------|---------------|--|-----------------------------|-----------------------------|------------------------------------|-------------------------|--|
| Model Number             | Description   | Max.Capacity ICE Maker Capacity Ibs (kg) Per Day | Flow Rate<br>Max. gpm (lpm) | <b>Pressure</b><br>Max. psi | Max.<br>Operating<br>Temp °F° (°C) | <b>Micron</b><br>Rating | Approx.<br>Shipping Weight<br>Ibs (kg) |
| IFQI                     | Single Filter | 1000 (454.4)                                     | 1.5 (5.7)                   | - 125                       | 100 (38)                           | .5                      | 4 (1.8)                                |
| IFQ2                     | Dual Filter   | 2400 (1090.6)                                    | 3.0 (11.4)                  |                             |                                    |                         | 8 (3.6)                                |


| SINGLE INLINE FILTER CARTRIDGES |   |  |                             |                             |                                    |                         |  |
|---------------------------------|---|--|-----------------------------|-----------------------------|------------------------------------|-------------------------|--|
| Model Number                    | Description                                 | Max.Capacity ICE Maker Capacity Ibs (kg) Per Day | Flow Rate<br>Max. gpm (lpm) | <b>Pressure</b><br>Max. psi | Max.<br>Operating<br>Temp °F° (°C) | <b>Micron</b><br>Rating | Approx.<br>Shipping Weight<br>Ibs (kg) |
| IFI4C                           | Single Inline Cartridge<br>1/4" compression | 600 (272)  | 1.0                         | 100                         | 100 (38)                           | 10                      | 2 (.9)                                 |
| IFI8C                           | Single Inline Cartridge<br>3/8" compression |  |                             |                             |                                    |                         |  |








### IFQ Series Filter Systems





16"H x 10"W X 6"D

# Single Inline Filter



Replacement Filter Cartridges



### All filter systems include:

Filter cartridge with FDA approved scale inhibitor, inlet shut-off valve, gauge and quick-connect fittings.

\*IOMQ replacement cartridges for use with IFQ1 & IFQ2 manifold filter systems.

| FILTER SIZING CHART  |                             |  |  |  |  |  |  |
|--|-----------------------------|--|--|--|--|--|--|
| Ice-O-Matic Cube Ice Maker   | Ice-O-Matic Flake Ice Maker | lce-O-Matic Pearl Ice® Maker                               | Recommended Ice-O-Matic Water Filter   |  |  |  |  |
| ICEU070, 150, 220, 226, 300,<br>ICE0250, 0320, 0400, 0406,<br>0500, 0520, 0606 | MF10500, EF250, EF450       | GEMUO9O, GEMD27O.<br>GEMD52O, GEMD54O, GEMD79O,<br>GEMO45O | IFQ1 (Single Manifold cartridge Filter System)<br>IFI4C or IFI8C (Single inline Filter System) |  |  |  |  |
| ICE0806  | ICEO806 MFI0800             |  | IFQ1 (Single Manifold cartridge Filter System)   |  |  |  |  |
| ICE1006, 1406, 1506, ICE 1806, 2106  | MF10800, MF12406            | GEM1256  | IFQ2 (Dual Manifold cartridge Filter System)   |  |  |  |  |

#### **Extended Warranty Program**

- Buy a new Ice-O-Matic Water Filter System with a new ICE Series™ Cube ice maker, replace the filter cartridge every 6 months, and Ice-O-Matic will extend the limited cuber evaporator warranty to 7 years parts and labor (U.S. and Canada only).
- New ice maker and filter must be installed at the same time.
- Ice maker and water filter must be registered with Ice-O-Matic within 10 days of installation. Register ice maker and filter at www.iceomatic.com.
- Water filters must be changed every 180 days (6 months), at a minimum. All changes must be registered with Ice-O-Matic and include the water filter's model and serial numbers. Register water filter changes at www.iceomatic.com.
- Program is available with all Ice-O-Matic IFQ1, IFQ2, IFI4C or IFI8C water filter systems.
- Replacement filter must be Ice-O-Matic models.