

## "S16MS" Machine Stands

w/ 16 Gauge Stainless Steel Work Top w/ Stainless Steel Base






#### 16 GAUGE TOP w/ STAINLESS STEEL BASE

20"WIDE	Qty	24"WIDE	Qty	30"WIDE	Qty
S16MS06		S16MS07		S16MS10	
S16MS08		S16MS09			

#### **FEATURES:**

- \* 16 Gauge Stainless Steel Top
   Type 300 stainless steel with # 4 polish, satin finish
- \* Reinforced with 1"x2" channel running entire length of table
- \* Galvanized Base and Bracing
  Type 300 stainless steel with # 4 polish, satin finish
- \* Bracing adjustable to desired height
- \* Adjustable bullet feet
- \* Shipped knocked-down, easy to assemble
- \* All models are approved by the National Sanitation Foundation and the U.S. Department of Agriculture.



STALLION SAFETY EDGE

#### **CONSTRUCTION:**

Top: Stainless Steel Tops are TIG welded, Exposed welds are

polished to match adjacent surface.

#### **MATERIAL:**

Top: 16 gauge Stainless Steel

Type 300 stainless steel with # 4 polish, satin finish

Bracing: 1 1/4" Round O.D. 18 gauge type 300 tubular stainless steel

#4 polish, satin finish

Legs: 1 5/8" Round O.D., 16 gauge typs 300 tubular stainless steel

# 4 polish, satin finish

Gussets: Stainless Steel

Feet: 1" adjustable galvanized bullet feet

# OPTIONAL ACCESSORIES

	MODEL#	Qty
STAINLESS STEEL FEET		
WELDED SET-UP		


### John Boos & Co


315 South First Street - Effingham, IL 62401 Phone: 217-347-7701 - Fax: 217-347-7705

Email: sales@johnboos.com - Web-site: www. johnboos.com

#### **DETAILED SPECIFICATIONS**







All units ship unassembled for reduced shipping cost.

All dimensions are typical.

Tolerance +/- .500".

16 GAUGE TOP & BRACING

L	20" WIDE	WT.	24" WIDE	WT.	30" WIDE	WT.
24	S16MS06	31	S16MS07	34		
30	S16MS08	36	S16MS09	38	S16MS10	42



315 South First - Effingham, IL 62401 Phone: 217-347-7701 - Fax: 217-347-7705 Email: sales@johnboos.com - Web-site: www.johnboos.com

