


- SHUTTLE PLUS STORAGE® -



Instant Sanitary Ice Delivery



Visit us at our Website: www.kloppenberg.thomasregister.com

2627 West Oxford, Englewood, CO 80110 800-346-3246 (303) 761-1615 Fax (303) 789-1741 Email: klopco@sni.net

#### SHUTTLE FEATURES

- Eliminates scooping and shoveling ice into carts, tubs, etc. prior to delivery.
- Provides ice in carts ready to be shuttled to any location at a moment's notice.
- Ice guillotine easily halts flow of ice between storage and shuttle carts, prevents ice spills and allows ice-maker to continue harvesting to resupply the carts upon their return.
- Access door in storage permits easy ice breakup in the event of bridging. Door provides access for scooping ice if desired. Door opening is 14" x 18".
- Poly carts standard, stainless steel optional.
- Easy clean stainless steel 1 1/2" tubular base maximize sanitation and is unsurpassed in strength.
- Hopper and cart drain into central rear drain pan just above floor level.

- Poly and stainless steel hopper liners.
- Storage bin is 1-1/2" foamed-in-place polyurethane for maximum insulation and longest ice preservation.
- Accepts optional end-line crusher on any bay. Use with crushed ice cart.
- Fully insulated, and gasketed door, providing a completely sanitary seal.

## OPTIONAL FEATURES


- Ice Crusher (EL-50).
- Capacity expansion sleeves to increase storage within the same floor space in 30" heights.
- Custom models to your required dimensions.
- Additional shuttle carts available.























NSF





# SHUTTLE PLUS STORAGE SYSTEMS

# SHUTTLE-PLUS-STORAGE 1

MODEL #/CAPACITY:	STORAGE CAPACITY	WIDTH	DEPTH	HEIGHT w/ LEGS	APPROX. SHIP WT.
SPS-1	500 lbs.	30"	36"	65*	400 lbs.
SPS-1-G	900 lbs.	30"	48"	82"	500 lbs.

### SHUTTLE-PLUS-STORAGE 2

MODEL #/CAPACITY:	STORAGE WIDTH CAPACITY		DEPTH	HEIGHT w/ LEGS	APPROX. SHIP WT.
SPS-2	1500 lbs.	60"	36"	71"	840 lbs.
SPS-2-SL	2500 lbs.	60"	36"	92"	1000 lbs.
SPS-2-G	1800 lbs.	60"	48"	71"	1200 lbs.
SPS-2-G-SL	3000 lbs.	60"	48"	101"	1400 lbs.

## SHUTTLE-PLUS-STORAGE 2

MODEL #/CAPACITY:	MAX WIDTH CAPACITY		DEPTH	HEIGHT w/ LEGS	APPROX. SHIP WT.
SPS-3	2000 lbs.	90"	36"	71"	1200 lbs.
SPS-3-SL	3400 lbs.	90'	36"	101*	1470 lbs.
SPS-3-G	2400 lbs.	90"	48"	71"	1400 lbs.
SPS-3-G-SL	4300 lbs.	90"	48"	101"	1750 lbs.

\*All SPS units come standard with: (stainless front, sides, back, bottom and hopper stand).

\*SL = sleeve addition for increased storage.

\*G = Unit with depth increased to 48".

PCC 250 Classic carts are standard and included in SPS unit cost. Optional carts can be substituted (may include an upcharge).







# - CART FEATURES -

### CLASSIC CART

MODEL #/CAPACITY:	MAX CAPACITY	WIDTH	DEPTH	HEIGHT w/ LID	APPROX. SHIP WT.
CC-250 (stainless)	250 lbs.	24"	30"	38*	125 lbs.
PCC-250 (poly)	250 lbs.	22"	30"	38*	100 lbs.
CC-300 (stainless)	300 lbs.	24"	36"	38"	128 lbs.

PCC-250 Poly Classic cart comes standard with all SPS units. Add \$271 to list price for stainless CC-250 cart.

# FEATURES

- 250 lbs. ice capacity (or 300 lb. with CC-300)
- 1-1/2" thick, foamed-in-place polyurethane insulated walls.
- CC-250 and CC-300 carts are 100% stainless steel exterior rotomolded poly interior.
- 3/4" drain with ball valve; handle in front activates drain in rear.
- Removable stainless steel lid access door interlocks with hopper dispenser chute. CC-300 cart has serving style lid.
- 5-1/2" casters, rated to carry 2000 lbs.
- Locking cart casters prevent movement during unloading.
- 2 locking swivel casters, 2 rigid casters. CC-300 carts have 4 locking swivel casters.

# ICE JOCKEY CART (stainless steel)

MODEL #/CAPACITY:	MAX CAPACITY	WIDTH	DEPTH	HEIGHT	APPROX. SHIP WT.
IJC-100	100 lbs.	22"	21"	34"	65 lbs.

## CRUSHED ICE CART (poly cart)

MODEL #/CAPACITY:	MAX CAPACITY	WIDTH	DEPTH	HEIGHT	APPROX. SHIP WT.
CIC-125	125 lbs.	22"	28"	27"	50 lbs.





