

## ROYAL SERIES UNDERBAR LIQUOR WORKSTATIONS

MODEL:	PROJECT:	ITEM #:	QTY:	

### **PRODUCT IMAGE**



KR18-W60C-10 SHOWN

#### **AVAILABLE IN 1800 SERIES**

### OPTIONAL ACCESSORIES

KR-101 Condiment TrayKR-103 Stainless Steel Divider

KR-200 Upgrade: Low Lead Faucet

KR-310 Right End SplashKR-311 Left End Splash

**KR-320** Partial Sliding Cover (Using Bottle Wells)

KR-321 Full Sliding Cover (No Bottle Wells)

KR-501 Towel Ring

KR-701 Perforated Dump Basket

KR-806 Upgrade: 6" Longer Stainless Steel Legs

### STANDARD FEATURES

Drainboard

20 gauge stainless steel

Dump Sink (Blender)

20 gauge stainless steel. 10" x 14" x 7" deep bowl with  $1 \frac{1}{2}$ " drain in center

Blender Shelf

22 gauge stainless steel

Interior (Ice Bin)

20 gauge stainless steel

Cold Plate

Cast aluminum post mix plate with 10 circuits. Plate is sealed into bottom. Each circuit is 5/16" OD stainless steel tubing. Two full with remainder to be half circuits. Bump and swedge fittings on ends

Front Apron

20 gauge stainless steel clad over 20 gauge galvanized steel

Backsplash

20 gauge stainless steel

Back and Bottom

20 gauge galvanized steel

Leas

1 5/8" tubular 16 gauge stainless steel with grey plastic bullet foot

Tubing Access (Cold Plate)

1800 Series: 3/4" x 3 1/2" cutout in left side of backsplash 2100 Series: 1/2" x 4.3" cutout in left side of backsplash

Electrical (Blender)

Duplex outlet located underneath Blender Shelf

Insulation (Ice Bin)

Foamed-in-place polyurethane

Plumbing

Hot/Cold Water: 1/2" IPS

Cold Plate: 1/2" IPS drain connection No Cold Plate: 1" IPS drain connection Drainboard: 1" IPS drain connection Dump Sink: 1 1/2" IPS drain connection

Fauce

4" center wall or deck mount faucet with ceramic cartridge valves

Low Lead Compliance

Low Lead Compliant faucets meet California AB-1953 and Vermont S152 standards

Janiomia Ad-1903 and Vermont 5102 Sta



**APPROVED BY:** 

Due to our commitment to continued product improvement, specifications are subject to change without notice.





# ROYAL SERIES UNDERBAR LIQUOR WORKSTATIONS

MODEL: \_\_\_\_\_ PROJECT: \_\_\_\_\_ ITEM #: \_\_\_\_ QTY: \_\_\_\_

Model Numbers	Overall Length	Ice Bin Length	Blender Length	Drainboard Length	Liquor Display Length	Cold Plate Circuits	Weight (lbs.)
KR18-W60C-10	5'-0"	24"	12"	12"	12"	10	262
KR18-W66C-10	5'-6"	30"	12"	12"	12"	10	289
KR18-W72C-10	6'-0"	36"	12"	12"	12"	10	312


MECHANICAL REQUIREMENTS: 1/2" IPS hot and cold water. 1/2" IPS drain connection on Cold Plate. 1 1/2" IPS drain connection on Sink Bowls.






Model Numbers	Overall Length	Ice Bin Length	Blender Length ®	Liquor Display Length ©	Cold Plate Circuits	Weight (lbs.)
KR18-W60D-10	5'-0"	36"	12"	12"	10	273
KR18-W66D-10	5'-6"	36"	12"	18"	10	302
KR18-W72D-10	6'-0"	36"	18"	18"	10	330


MECHANICAL REQUIREMENTS: 1/2" IPS hot and cold water. 1/2" IPS drain connection on Cold Plate. 1 1/2" IPS drain connection on Sink Bowls.






Model Numbers	Overall Length	Ice Bin Length	Blender Length ®	Liquor Display Length ©	Cold Plate Circuits	Weight (lbs.)
KR18-W60E-10	5'-0"	36"	12"	12"	10	304
KR18-W66E-10	5'-6"	36"	12"	18"	10	337
KR18-W72E-10	6'-0"	36"	18"	18"	10	369

MECHANICAL REQUIREMENTS: 1/2" IPS hot and cold water, 1/2" IPS drain connection on Cold Plate, 1 1/2" IPS drain connection on Sink Bowls,







#### **APPROVED BY:**

Due to our commitment to continued product improvement, specifications are subject to change without notice.

Printed in the USA