

TECHNICAL DATA SHEET FOR P10M PROOFER/HOLDING CABINET

Half Size Manual / Electric

STANDARD FEATURES

- Dual function Proofer and Holding Cabinet
- Designed for individual use or system installed with Turbofan E33D Convection Ovens
- 10 12" x 20" steam pan capacity
- 10 half size sheet pan capacity
- 27/8"/ 74mm tray spacing
- Compact 24" / 610mm width
- 110-120V plug-in
- 15A NEMA 5-15P cordset fitted
- Full double skin construction
- Auto water fill system with optional integrated water filter kit
- Continuous door seal
- Off / Proof / Hold mode selection
- · Low velocity circulation fan system
- Mechanical thermostat
- Humidity level control
- Dual halogen cabinet interior lamps
- Cabinet temperature display thermometer
- 4 dia. 3" / 76mm castors with 2 front castors dual wheel and swivel lock, 2 rigid rear castors
- 100% recyclable packaging

ACCESSORIES

 Optional 3M Cuno water filter kit complete with cartridge and connection fittings



P10M

Unit shall be a Moffat electrically heated Turbofan Proofer and Holding Cabinet ETL Listed and NSF-4 listed. The proofer and holding cabinet shall have double skin construction with stainless steel interior and exterior sides, front and top. Unit shall have capacity for up to 10 half size sheet pans or 10 12" x 20" steam pans. A single speed fan shall gently and evenly circulate air around the cabinet. Cabinet shall be controlled by a mechanical thermostat and humidity via a control of the water tank. A thermometer shall indicate the cabinet temperature. Proofer and holding cabinet shall be mounted on castors, with two rigid castors at rear and two swivel castors dual swivel and wheel lock and front. Proofer and Holding cabinet shall operate independently or in combination with Moffat Turbofan model E33D5 Convection Oven. Proofer and Holding Cabinets shall be fitted with NEMA 5-15P cordsets. Unit shall be supplied in 100% recyclable shipping packaging.







P10M Half Size Manual / Electric Proofer/Holding Cabinet

CONSTRUCTION

304 stainless steel interior cabinet Stainless steel front, sides and top exterior Stainless steel interior side racks Stainless steel frame side hinged door 0.2" / 5mm thick door glass

Stainless steel control panel

Aluminized coated steel base and rear panels

CONTROLS

Off / Proof / Holding mode selector switch. Mechanical thermostat 65-185°F / 20-85°C Air heating ON control panel indicator Humidity level control Humidity tank ON control panel indicator Cabinet temperature thermometer Auto-fill water system standard

CLEANING

Stainless steel top and side exterior panels Stainless steel interior chamber Easy access to all interior surfaces Fully removable stainless steel rack support Removable humidity water tank (no tools)

SPECIFICATIONS

Electrical Requirements

110-120V, 50/60Hz, 1-phase, 1.45kW, 11.6A

NEMA 5-15P cordset fitted



Cold water connection 34" GHT male

80psi maximum inlet pressure / 20psi minimum inlet pressure

External Dimensions

Width 24" / 610mm

Height 40" / 1015mm including dia. 3" / 76mm castors

263/4" / 680mm Depth

Nett Weight

171 lbs / 77.5kg

Packing Data

210lbs / 95.3kg 22.6 ft3 / 0.64m3


253/4" / 655mm Width Height 46½" / 1180mm 325/8" / 830mm Depth INSTALLATION CLEARANCES

Rear 1" / 25mm 0" / 0mm LH Side 0" / 0mm RH Side

CLEARANCE FROM SOURCES OF HEAT

A minimum distance of 12" / 300mm from the appliance sides

is required



www.moffat.com

U.S.A.

Moffat Inc

3765 Champion Boulevard

Winston-Salem

North Carolina 27105

Ph Toll Free 1-800-551 8795

Ph 336-661 0257 Fax 336-661 9546

Email sales@moffat.com

www.moffat.com

Manufactured by: Moffat Limited 16 Osborne Street PO Box 10-001 Christchurch 8081 New Zealand



ISO9001 Quality Management Standard

Designed and manufactured by



ISO9001

All Turbofan products are designed and manufactured by Moffat using the internationally recognised ISO9001 quality management system, covering design, manufacture and final inspection, ensuring consistent high quality at all times.

In line with policy to continually develop and improve its products, Moffat Limited reserves the right to change specifications and design without notice.

© Copyright Moffat Ltd Moffat 1343 / 7.13

