



AX-DPG



AX-SPG

GAS PASTA COOKERS

AX-SPG SINGLE PASTA COOKER - GAS

Our pasta cookers are among the kitchen's most reliable and trusted equipment. Chefs world-wide use them to cook fresh or dry pasta, as well as rice, vegetables, potatoes, and seafoods or just to rethermalize.

This self-contained cooking system eliminates the dangerous handling of heavy pots containing boiling water. As an option, solid pans can be inserted into the cooking chamber to hold sauces.



SEAMLESS INNER TANK

- ★ corrosion proof
- ★ easy cleaning
- ★ round edge
- ★ hygienic design and construction





STANDARD FEATURES ON BOTH MODELS

- ★ All heavy-duty stainless steel construction meeting NSF requirements
- ★ One piece deep drawn inner tank #304 stainless steel for ease of maintenance
- ★ Inner tank is corrosion-proof from the effects of salt water and is a hygienic design
- ★ Piezo-electric ignition
- ★ Overflow area safeguards against accidental overflow
- ★ High efficiency burner technology concentrating greater heat at the rear creating a convective flow of water eliminating the need for stirring which shortens cook times
- ★ Energy and time saving mechanism
- ★ Cooking time: 5-10 min.

AX-DPG DOUBLE PASTA COOKER - GAS



Available Baskets:

	
AX-PCBA	AX-PCBB
5.7" X 5.7" X 9.1"	3.1" X 11" X 9.1"

STANDARD FEATURES ON BOTH MODELS






- ★ Assorted combination of stainless steel mesh baskets with ergonomic positioned handle are included
- ★ Gas injector nozzles provided to switch from Natural to LP gas
- ★ Cabinet front, door and sides are of high-quality stainless steel
- ★ Batter plate
- ★ 6" adjustable stainless steel legs
- ★ Bottom-front connection
- ★ Manual gas shut-off valve
- ★ High capacity overflow drain
- ★ 1" full port drain valve
- ★ Water inlet

TECHNICAL SPECIFICATIONS

AX-SPG

AX-DPG

CAPACITY	40 L	80 L
HEAT INPUT - (Btu/h)	61416	122832
CONSUMPTION	Natural gas: 57 ft ³ /hr Propane: 50 ft ³ /hr	Natural gas: 114 ft ³ /hr Propane: 100 ft ³ /hr
GAS CONNECTION	1/2" ISO 7-1:1982	3/4" ISO 7-1:1982
DIMENSIONS (WXDXH)	15.75" X 35.5" X 38.25"	31.5" X 35.5" X 38.25"
OVERALL WORKING HEIGHT	33.25"	33.25"
TANK CAPACITY	11 U.S GALLONS	22 U.S GALLONS
GAS PRESSURE	Natural gas: 7" WC Propane gas: 11" WC	Natural gas: 7" WC Propane gas: 11" WC
SHIP WEIGHT	140 LBS	262 LBS
WARRANTY	ONE YEAR PARTS AND LABOR	FIVE YEARS ON INNER TANK



MVP GROUP CORPORATION
 5659 Royalmount Ave. Montreal, QC Canada H4P 2P9
 Tel: 514-737-9701 888-275-4538 Fax: 514-342-3854
 www.mvpgroupcorp.com / sales@mvpgroupcorp.com