

#### Refrigerated Chef Bases

#### KCB SERIES

Project name	į.	
Location:		
Item:	Qty:	
Model:		



53" KCB-53



**71"** KCB-71







Model Number	Capacity (cubic feet)	Number of Drawers	Full size pans	Refrigerant	HP	Amps	Ship Weight (lbs.)	Ship Dimensions W" x D" x H"
KCB-53	9.8	2	6	R-134-a	1/5	3.3	235	54.5x35.5x27.0
KCB-71	14.3	4	8	R-134-a	1/5	3.3	297	72.0x35.5x27.0
KCB-83	17.2	4	10	R-134-a	3/8	6.0	341	85.0x35.5x27.0
KCB-96	21.4	4	12	R-134-a	3/8	6.0	363	98.0x35.5x27.0
						1222		1 22 11 11 11 11

Voltage: 115/60/1 NEMA 5-15 plug

These units are designed for maximum performance in an air-conditioned area of 75°F ambient temperature and 55% relative humidity. There must be adequate ventilation at the top, sides & rear of the unit for proper operation.

Warranty: 18 months parts & labor. Additional 42 months on compressor (part only)





### Energy Efficient

- Foamed-in place high-density polyurethane insulated body, CFC-Free
- Environmentally friendly R-134a refrigerant

## **Durable Design**

- Created to endure the everyday stress of the commercial kitchen environment, to protect your long term investment and guarantee superior food preservation
- Digital temperature display
- Simple plug-in installation


# Superior Quality

- Designed for mobility, reliability & efficiency in commercial kitchens
- 5" swivel castors with 2 front brakes
- Entirely self-contained system
- Forced air refrigeration
- Automatic defrost system
- Stainless Steel interior & exterior


KCB Chef Base Prep Tables

- Temperature range : 32°F to 45°F






Dimensions (W" x D" x H") 54.5 x 35.5 x 27.0



Dimensions (W" x D" x H") 72.0 x 35.5 x 27



96"
KCB-96

340(98.1)

180(42.7)

100(42.7)

Dimensions (W" x D" x H")
98.0 x 35.5 x 27.0

KOOL-IT is a registered trade mark of MVP Group. Specifications subject to change without notice.



Tel.: 514.737.9701 / Toll Free: 888.275.4538 Fax: 514.342.3854 / Toll Free: 877.453.8832 sales@mvpgroupcorp.com www.mvpgroupcorp.com