# $\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$ ΡΓΟυ

# C1848 - 1800lb Cube Ice Machine

Prodigy Plus<sup>®</sup> Modular Cube Ice Machine

#### The world's smartest cuber.

As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus® cube ice machines make it easier than ever to maintain your equipment and save money. Whether it's the advanced ice level control or an optional feature board for quick diagnostics, this is ice-making re-imagined. And with intuitive technology like AutoAlert™ indicator lights, a reduced operational footprint and easy-access service from the front panel, Prodigy Plus® cubers are simply the smartest, most reliable way to create fresh-tasting ice — every time.

### The Prodigy Plus<sup>®</sup> difference.

- AutoAlert<sup>™</sup> indicator lights for better visibility
- Operational footprint among the industry's smallest
- Industry-exclusive QR code instantly connects users to service information and warranty history
- One-touch cleaning reduces labor costs and saves time
- Front-located air filter for more efficient operation
- Self-aligning front panel for easy access to key components
- Patented WaterSense purge control automatically reduces scale buildup
- Patented Harvest Assist efficiently moves cube ice to the bin
- Smart-Board<sup>™</sup> advanced feature module available for additional diagnostic capabilities
- Optional Vari-Smart<sup>™</sup> ice level control allows operators to customize ice levels
- Antimicrobial protection guards internal surfaces between cleanings
- A full range of water- and energy-saving features

# 24 Hour Volume Production

Ai	r Coole	d		Remote		Water Co	ooled
70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C	70°F/21°C 50°F/10°C	Air Water	90°F/32°C 70°F/21°C	70°F/21°C Air 50°F/10°C Wate	90°F/32°C r 70°F/21°C
1909/868 lb/kg		1527/694 lb/kg	1828/831 lb/kg		1645/748 lb/kg	1900/864 lb/kg	1710/777 lb/kg





BH1100BB BH1100SS



BH1300BB BH1300SS

Medium Cube

7/8" x 7/8" x 7/8"





Small Cube 7/8" x 7/8" x 3/8" (2.22 x 2.22 x .95 cm) (2.22 x 2.22 x 2.22 cm)



	Modular Bin Options
4	

Model Number*	Dimensions W" x D" x H"	AHRI Certified Bin Capacity lb/kg	Application Capacity lb/kg	Finish	Ship Weight lb/kg
BH1300BB	60 x 34 x 50**	1100/499	1400/635	SS w/ GBB†	310/140
BH1300SS	60 x 34 x 50**	1100/499	1400/635	Stainless Steel	310/140
BH1600BB	60 x 34 x 62**	1375/624	1755/796	SS w/ GBB†	370/168
BH1600SS	60 x 34 x 62**	1375/624	1755/796	Stainless Steel	370/168

\* Contact Scotsman for bin top requirements. \*\* Add 6" Height for bin legs. † Stainless steel with galvanized back & bottom.





- · 3 years parts and labor on all components.
- 5 years parts and labor on the evaporator.
- 5 years parts on the compressor and condenser.


Warranty valid in North, South & Central America. Contact factory for warranty in other regions.

• 775 Corporate Woods Parkway, Vernon Hills, IL 60061 •

• 1-800-SCOTSMAN • Fax: 847-913-9844 • www.scotsman-ice.com • customer.relations@scotsman-ice.com •

# C1848 - 1800lb Cube Ice Machine

Prodigy Plus<sup>®</sup> Modular Cube Ice Machine



			Max. Fuse Size			Energy Consumption	Gallons/100 l	b (liters/45.4 kg)	)
Model Number Cube Size: medium or small	Condenser Unit	Basic Electrical Volts/Hz/Phase	or HACR Circuit Breaker (amps)	Circuit Wires	Min. Circuit Ampacity	kWh/100 lb (45.4 kg) 90°F(32°C)/70°F(21°C)	Potable 90°F(32°C	Condenser )/70°F(21°C)	Energy Star®
C1848MA-32 C1848MR-32	Air Remote	208-230/60/1 208-230/60/1	30 30	2 2	25.5 24.8	4.9 4.3	19.3/73.2 17.9/67.9	-	
C1848SA-32 C1848SR-32 C1848SW-32 C1848SR-3	Air Remote Water Remote	208-230/60/1 208-230/60/1 208-230/60/1 208-230/60/3	30 30 30 30	2 2 2 3	25.5 24.8 23.8 15.8	4.9 4.3 3.7 4.3	19.3/73.2 17.9/67.9 18.0/68.2 17.9/67.9	- - 151.0/572.5 -	8

Dimensions (W x D x H):					
Unit:	48" x 24" x 29" (121.9 x 61.0 x 73.7 cm)				
Shipping Carton:	51.5" x 27.5" x 34" (130.8 x 69.9 x 86.4 cm)				
Shipping Weight: 355 lb / 161 kg	BTUs per hour: 27,400				
Refrigerant: R-404	A				

			Accessories
--	--	--	-------------

#### Model Number Description

KVS	Vari-Smart™ Ice Level Control - Program ice bin levels to match ice needs.
KSBU	Smart-Board <sup>™</sup> Advanced Control - Use additional operational data for fast diagnosis.
KSBU-N	Smart-Board <sup>™</sup> Advanced Control with Network - Network capable.
ERC611-32	Remote condenser for C1848xR, 208-230/60/1 - Consult remote condenser spec sheet for details
RTE10	Line set, precharged, R-404A, 10ft.
RTE25	Line set, precharged, R-404A, 25ft.
RTE40	Line set, precharged, R-404A, 40ft.
RTE75	Line set, precharged, R-404A, 75ft.
KPAS	Prodigy Advanced Sustainability Kit - Includes KVS and KSBU - N

Scotsman recommends all ice machines have water filtration. See Scotsman water filter specification sheet for details.

Op	erating Rec	quirement
	Minimum	Maximum
Air Temperatures	50°F (10°C)	100°F (38°C)
Water Temperatures	40°F (4.4°C)	100°F (38°C)
Remote Cond. Temps	-20°F (-29°C)	120°F (49°C)
Water Pressures	20 PSIG (1.4 bar)	80 PSIG (5.5 bar)
Electrical Voltage	-5%	+10%

Specifications and design are subject to change without notice.



© 2015 Scotsman Ice Systems.