


GAS COMPARTMENT STEAMER WITH KETTLE AND GAS FIRED STEAM BOILER



SPECIFICATIONS:

Shall be a Southbend model

convection steamer complete with 6 or 10 Gallon Kettle on a modular gas fired steam boiler base, with stainless steel type 304 exterior and #4 finish, deck mounted faucet valve, swing nozzle and integral sink with common drain.

The convection steamer shall have doors with a removable inner liner of stainless steel, full perimeter gasket seal, outer shell of one piece, all welded, stainless steel, positive lock and seal mechanism and a stainless steel drip trough connected to the drain in order to collect condensate when doors are opened. Each cooking chamber shall be constructed of all welded type 316 stainless steel, fully insulated and provided with removable stainless steel pan supports and shall be:

□ GCX-2S: 13.875"W x 10.875"H x 19.875"D (352 mm x 276 mm x 504 mm).

GCX-10S: 13.875"W x 17.375"H x 19.875"D (352 mm x 441 mm x 504 mm).

Steamer controls shall be accessible through a fully removable side panel and each compartment shall include a 60 minute mechanical timer with ready and cooking pilot light and shall interrupt steam flow to the chamber when the compartment door is opened during cooking cycle and shall be reactivated when the door is closed. An audible signal will sound at the end of the cooking cycle.

The cabinet base with gas boiler and controls shall be provided with full perimeter painted angle frame, reinforced kettle and boiler mountings, hinged doors with magnetic latch and 6" (152 mm) stainless steel legs fitted with adjustable bullet feet on the front and adjustable flanged feet on the rear for securing unit to the floor. Boiler controls shall include automatic water level control, pressure gauge, water gauge glass, operating pressure control, safety high-limit pressure control, safety relief valve and cathodic protector. The boiler shall be ASME code stamped and National Board registered.

Model	DESCRIPTION	PAN CAPACITY PER COMPARTMENT PAN DEPTH			
		1"	2-1/2"	4"	6"
GCX-2S-6	6 pan steamer with 6 gallon	6	3	2	1
GCX-25-6	kettle and 200,000 BTU boiler.				
GCX-2S-10	6 pan steamer with 10 gallon				
	kettle and 200,000 BTU boiler.				
GCX-10S-6	10 pan steamer with 6 gallon	10	5	3	2
GCX-105-6	kettle and 250,000 BTU boiler.				
GCX-10S-10	10 pan steamer with 10 gallon				
	kettle and 250,000 BTU boiler.				

OPERATION SHALL BE BY:

Gas heated steam boiler operating at 9 -11 psi (62 - 76 kPa). The controls shall be equipped for operation on 115 VAC, single phase 50/60 Hz.

- Natural Gas
- □ LP Gas

OPTIONAL ITEMS AT EXTRA COST:

- □ 250,000 BTU (GCX-2S models)
- □ 300,000 BTU
- ☐ 208-240 VAC operation (specify voltage)
- Electronic ignition
- □ CSD-1
- Automatic boiler blow down
- Stainless steel rear panel
- Stainless steel frame
- Split water line
- Correctional package
- Adjustable front flanged feet
- Load compensating timers

OPTIONAL ITEMS AT EXTRA COST:


- Spray and rinse assembly
- Steam take-off kit
- ☐ De-liming kit (DPA-1) not available with CSD-1
- Water in "Y" strainer











- ELECTRICAL CONNECTION: 1/2" (13 mm) conduit connection to controls. 120 VAC-60Hz-1PH. 2 Amps per compartment or as specified on data plate.
- STEAM TAKE-OFF CONNECTION: 3/4" (19 mm) IPS optional to operate adjacent equipment.
- COLD WATER: 3/8" (10 mm) O.D. tubing at 25-50 PSI (170-345 kPa).
- (h) HOT WATER: 3/8" (10 mm) O.D. tubing at 25-50 PSI (170-345 kPa).
- DRAIN: 2" (51 mm) IPS piped to open floor drain. No solid connection.
- → GAS CONNECTION: 3/4" (19 mm) IPS supply line required.
- SINK DRAIN: 1 1/8" (29 mm) O.D. tubing.

illea.	GCX-105-10	1.
GAS SUPPLY		

Model	Α	В	С
GCX-2S-6	59.5 [1511]	66.13 [1680]	44 [1118]
GCX-2S-10	72.5 [1842]	00.13 [1000]	44 [1110]
GCX-10S-6	59.5 [1511]	65 12 [1654]	48 [1219]
GCX-10S-10	72.5 [1842]	65.13 [1654] 48 [1219	

BTU/Hour	кW/Hour	Water Column Pressure		
		Natural	Propane	
200,000	58.6	7" - 14" 11" - 14" [178 mm - 355 mm] [279 mm - 355 mn	44" 44"	
250,000	73.3			
300,000	87.9		[270 11111]	

WATER QUALITY STATEMENT

Water quality is the major factor affecting the performance of your appliance. If you are unsure of water quality, consult a local water treatment specialist and have the water analyzed. Your water supply must be within these general guidelines:

Total dissolved solids	Less than 60 PPM
Total alkalinity	Less than 20 PPM
Silica	Less than 13 PPM
Chlorine	Less than 30 PPM
pH Factor	7.0 - 8.5

Water which fails to meet these standards should be treated by installation of water conditioner.

FAILURE OR MALFUNCTION OF THIS APPLIANCE DUE TO POOR WATER QUALITY IS NOT COVERED UNDER WARRANTY. CONTACT SOUTHBEND FOR WATER QUALITY SOLUTIONS.

INTENDED FOR COMMERCIAL USE ONLY. NOT FOR HOUSEHOLD USE.



1100 Old Honeycutt Road, Fuquay-Varina, NC 27526 (919) 762-1000 www.southbendnc.com