


Foodservice Equipment • Material Handling, Healthcare & Cleanroom Equipment • Retail Display

Shelving Components & Accessories

Item #: _____
 Model #: _____
 Project #: _____
 SIS #: _____

DIVIDERS... 8" (203mm) height.



divider for wire shelving



divider for solid shelving

		...FOR WIRE SHELVING				...FOR SOLID SHELVING			
shelf width		weight		chrome	stainless	weight		chrome	stainless
in.	mm	lbs.	kg.	model #	model #	lbs.	kg.	model #	model #
14"	356	1.0	0.5	SD14-C	SD14-S	1.0	0.5	SSD14-C	SSD14-S
18"	457	1.3	0.6	SD18-C	SD18-S	1.3	0.6	SSD18-C	SSD18-S
21"	533	1.5	0.7	SD21-C	SD21-S	1.5	0.7	SSD21-C	SSD21-S
24"	610	1.8	0.8	SD24-C	SD24-S	1.8	0.8	SSD24-C	SSD24-S
30"	762	2.2	1.0	SD30-C	SD30-S	2.3	1.0	SSD30-C	SSD30-S
36"	914	2.7	1.2	SD36-C	SD36-S	3.0	1.4	SSD36-C	SSD36-S

LEDGES... Prevents contents from falling off unit. Available in chrome or stainless steel.




1" (25mm)-high ledge



4" (102mm)-high ledge

		...FOR WIRE SHELVING				...FOR SOLID SHELVING							
		1" (25mm) HEIGHT				4" (102mm) HEIGHT				4" (102mm) HEIGHT			
shelf width		weight		chrome	stainless	weight		chrome	stainless	weight		chrome	stainless
in.	mm	lbs.	kg.	model #	model #	lbs.	kg.	model #	model #	lbs.	kg.	model #	model #
14"	356	0.5	0.2	L14-1C	L14-1S	0.8	0.4	L14-4C	L14-4S	0.8	0.4	SL14-4C	SL14-4S
18"	457	0.5	0.2	L18-1C	L18-1S	0.9	0.4	L18-4C	L18-4S	0.9	0.4	SL18-4C	SL18-4S
21"	533	0.6	0.3	L21-1C	L21-1S	1.0	0.5	L21-4C	L21-4S	1.0	0.5	SL21-4C	SL21-4S
24"	610	0.6	0.3	L24-1C	L24-1S	1.2	0.5	L24-4C	L24-4S	1.2	0.5	SL24-4C	SL24-4S
30"	762	0.7	0.3	L30-1C	L30-1S	1.4	0.6	L30-4C	L30-4S	1.4	0.6	SL30-4C	SL30-4S
36"	914	0.7	0.3	L36-1C	L36-1S	1.6	0.7	L36-4C	L36-4S	1.6	0.7	SL36-4C	SL36-4S
42"	1067	0.8	0.4	L42-1C	L42-1S	1.8	0.8	L42-4C	L42-4S	1.8	0.8	SL42-4C	SL42-4S
48"	1219	0.8	0.4	L48-1C	L48-1S	2.0	0.9	L48-4C	L48-4S	2.0	0.9	SL48-4C	SL48-4S
54"	1372	0.9	0.4	L54-1C	L54-1S	2.2	1.0	L54-4C	L54-4S	2.2	1.0	SL54-4C	SL54-4S
60"	1524	1.0	0.5	L60-1C	L60-1S	2.4	1.1	L60-4C	L60-4S	2.4	1.1	SL60-4C	SL60-4S
72"	1829	1.1	0.5	L72-1C	L72-1S	2.6	1.2	L72-4C	L72-4S	2.6	1.2	SL72-4C	SL72-4S

Spec sheets available for viewing, printing or downloading from our online literature library at www.eaglegrp.com



enclosure panel

ENCLOSURE PANELS

Helps secure shelf contents, enclosing the backs and sides of unit. Available in chrome or stainless steel. Please consult tables below to determine proper quantity and model numbers when enclosing backs or sides of shelving systems.

shelf width		post height		panel height		weight		chrome model	stainless model
in.	mm	in.	mm	in.	mm	lbs.	kg.		
18"	457	54"	1372	14"	356	6	2.7	E1854-C	E1854-S
		63"	1600			7	3.2	E1863-C	E1863-S
		74"	1880			8	3.6	E1874-C	E1874-S
24"	610	54"	1372	20"	508	9	4.1	E2454-C	E2454-S
		63"	1600			10	4.5	E2463-C	E2463-S
		74"	1880			11	5.0	E2474-C	E2474-S

Consult these tables for panel configurations:

- BACK PANELS

shelf length		quantity required (all heights)	54" (1372mm) POST HEIGHT model #	63" (1600mm) POST HEIGHT model #	74" (1880mm) POST HEIGHT model #
in.	mm				
30"	762	1	E2454	E2463	E2474
36"	914	2	E1854	E1863	E1874
42"	1067	1	E1854	E1863	E1874
		1	E2454	E2463	E2474
48"	1219	2	E2454	E2463	E2474
		2	E1854	E1863	E1874
54"	1372	1	E2454	E2463	E2474
		1	E1854	E1863	E1874
60"	1524	2	E2454	E2463	E2474
		1	E1854	E1863	E1874
72"	1829	3	E2454	E2463	E2474

- END PANELS

shelf length		quantity required (all heights)	54" (1372mm) POST HEIGHT model #	63" (1600mm) POST HEIGHT model #	74" (1880mm) POST HEIGHT model #
in.	mm				
18"	457	1	E1854	E1863	E1874
21"	533	1	E1854	E1863	E1874
24"	610	1	E2454	E2463	E2474
30"	762	1	E2454	E2463	E2474
36"	914	2	E1854	E1863	E1874



mobile unit with optional slanted shelves

SLANTED SHELVES

Adds visibility, allows easy access to shelf contents. Shipped knocked-down.

width x length		weight	chrome model	EAGLEgard® model	EAGLEbrite® model
in.	mm	lbs. kg			
21" x 36"	533 x 914	11 5.0	SL2136C	SL2136E	SL2136Z
21" x 48"	533 x 1219	14 6.4	SL2148C	SL2148E	SL2148Z
21" x 60"	533 x 1524	18 8.2	SL2160C	SL2160E	SL2160Z
24" x 36"	610 x 914	13 5.9	SL2436C	SL2436E	SL2436Z
24" x 48"	610 x 1219	16 7.3	SL2448C	SL2448E	SL2448Z
24" x 60"	610 x 1524	21 9.5	SL2460C	SL2460E	SL2460Z



3-sided channel frame

3-SIDED CHANNEL FRAMES

Improves support and stability.


width x length		weight	chrome model	EAGLEgard® model	stainless steel model
in.	mm	lbs. kg			
18" x 24"	457 x 610	5 2.2	CF1824-C	CF1824-E	CF1824-S
18" x 30"	457 x 762	6 2.7	CF1830-C	CF1830-E	CF1830-S
18" x 36"	457 x 914	6 2.7	CF1836-C	CF1836-E	CF1836-S
18" x 42"	457 x 1067	7 3.2	CF1842-C	CF1842-E	CF1842-S
18" x 48"	457 x 1219	7 3.2	CF1848-C	CF1848-E	CF1848-S
18" x 60"	457 x 1524	8 3.6	CF1860-C	CF1860-E	CF1860-S
18" x 72"	457 x 1829	9 4.1	CF1872-C	CF1872-E	CF1872-S
21" x 24"	533 x 610	5 2.2	CF2124-C	CF2124-E	CF2124-S
21" x 30"	533 x 762	6 2.7	CF2130-C	CF2130-E	CF2130-S
21" x 36"	533 x 914	6 2.7	CF2136-C	CF2136-E	CF2136-S
21" x 42"	533 x 1067	7 3.2	CF2142-C	CF2142-E	CF2142-S
21" x 48"	533 x 1219	8 3.6	CF2148-C	CF2148-E	CF2148-S
21" x 60"	533 x 1524	8 3.6	CF2160-C	CF2160-E	CF2160-S
21" x 72"	533 x 1829	10 4.5	CF2172-C	CF2172-E	CF2172-S
24" x 24"	610 x 610	6 2.7	CF2424-C	CF2424-E	CF2424-S
24" x 30"	610 x 762	7 3.2	CF2430-C	CF2430-E	CF2430-S
24" x 36"	610 x 914	7 3.2	CF2436-C	CF2436-E	CF2436-S
24" x 42"	610 x 1067	8 3.6	CF2442-C	CF2442-E	CF2442-S
24" x 48"	610 x 1219	9 4.1	CF2448-C	CF2448-E	CF2448-S
24" x 60"	610 x 1524	10 4.5	CF2460-C	CF2460-E	CF2460-S
24" x 72"	610 x 1829	11 5.0	CF2472-C	CF2472-E	CF2472-S
30" x 36"	762 x 914	7 3.2	CF3036-C	CF3036-E	CF3036-S
30" x 48"	762 x 1219	9 4.1	CF3048-C	CF3048-E	CF3048-S
30" x 60"	762 x 1524	10 4.5	CF3060-C	CF3060-E	CF3060-S
30" x 72"	762 x 1829	11 5.0	CF3072-C	CF3072-E	CF3072-S
36" x 36"	914 x 914	7 3.2	CF3636-C	CF3636-E	CF3636-S
36" x 48"	914 x 1219	9 4.1	CF3648-C	CF3648-E	CF3648-S
36" x 60"	914 x 1524	10 4.5	n/a	CF3660-E	CF3660-S
36" x 72"	914 x 1829	11 5.0	n/a	CF3672-E	CF3672-S

HANDLES

Available in chrome or stainless steel. Fits unit widths only.



push handle



extended push handle



utility cart handle

HANDLES FOR CASTER CARTS

PUSH HANDLES

Easily slips over posts.

EXTENDED PUSH HANDLES

For ease of assembly. Designed to prevent damage to knuckles.

width in. mm	weight		chrome model #	stainless steel model #
	lbs.	kg		
14" 356	1.7	0.8	PH14-C	PH14-S
18" 457	1.9	0.9	PH18-C	PH18-S
21" 533	2.1	1.0	PH21-C	PH21-S
24" 610	2.3	1.1	PH24-C	PH24-S
30" 762	2.6	1.2	PH30-C	PH30-S
36" 914	3.0	1.4	PH36-C	PH36-S

chrome model #	stainless steel model #
EH18-C	EH18-S
EH21-C	EH21-S
EH24-C	EH24-S
EH30-C	EH30-S
EH36-C	EH36-S


HANDLES FOR UTILITY CARTS

Handles' legs are grooved in 1" (25mm) increments.

weight lbs. kg	chrome model #	stainless steel model #
	-	-
4.0 1.8	UH18-C	UH18-S
4.2 1.9	UH21-C	UH21-S
4.5 2.1	UH22-C	UH24-S
-	-	-
-	-	-

PIZZA BOX DIVIDER NEW

26" (660mm) height. Attaches onto 14" (356mm)-wide shelving. Zinc finish. Sold individually.




pizza box dividers

width in. mm	weight		model #
	lb.	kg	
28" 711	5	2.3	PZD-Z

CAN RACKS

Fits on 24" (610mm)-wide shelves. Rack is front loading, front dispensing, gravity feed, and is made of chrome-plated mild steel and heavy gauge wire.



can rack

weight lbs. kg	capacity (#10 cans)	model #	
			7

"S" HOOK

Join individual wire shelving units in a number of combinations using "S" hooks. Joins end-to-end, back-to-back, or at right angles. Two "S" hooks required for each shelf connection.



"S" hook

model #: A200012

RETAINING CLAMP

For use with enclosure panels.

model #: RETAINING CLAMP



retaining clamp

JOINING CLAMPS

Use these, and two additional posts, to create various solid shelving add-on configurations. Two required per shelf.

model #: A203078



joining clamp

ALUMINUM SPLIT SLEEVE

Used for conductive purposes. Includes zinc retainer ring.

with zinc rings model #	with stainless rings model #
A208909	A208908



aluminum split sleeves and ring

PLASTIC SPLIT SLEEVE

Four included with each shelf. Packed four per bag.

model #: PLASTIC SPLIT SLEEVE



plastic split sleeve

PLASTIC SHELF MARKERS

Snaps onto shelf edge. Provides easy identification of shelf contents or section. Clear markers hold 1" (25mm) to 1 1/4" (32mm) high labels. Also available in gray or black which hold 1 1/4" (32mm) high labels.

marker in. mm	fits shelf length		gray model #	black model #	clear model #
	in.	mm			
3"	76	all lengths	A204331	A206216	A208746
13"	330	18" 457	A206196	A206217	A208747
19"	483	24" 610	A206197	A206218	A208749
25"	635	30" 762	A206198	A206219	A208750
31"	787	36" 914	A206199	A206220	A208751
43"	1092	48" 1219	A206200	A206221	A208752
55"	1397	60" 1524	A206201	A206222	A208753



gray plastic shelf marker

clear plastic shelf markers feature transparent overlay to accommodate permanent or non-adhesive labels

DOLLY FRAMES WITH WRAPAROUND BUMPER

If ordering casters, list dolly frame and caster model numbers separately.

shelf width x length in. mm	ALUMINUM			CHROME PLATED STEEL		
	weight lbs. kg	model #	weight lbs. kg	model #		
18" x 36" 457 x 914	14 6.4	DF1836-A	16 7.3	DF1836-C		
18" x 42" 457 x 1067	16 7.3	DF1842-A	18 8.2	DF1842-C		
18" x 48" 457 x 1219	18 8.2	DF1848-A	20 9.1	DF1848-C		
18" x 60" 457 x 1524	21 9.6	DF1860-A	23 10.4	DF1860-C		
18" x 72" 457 x 1829	23 10.4	DF1872-A	25 11.3	DF1872-C		
21" x 36" 533 x 914	17 7.7	DF2136-A	19 8.6	DF2136-C		
21" x 42" 533 x 1067	19 8.6	DF2142-A	21 9.6	DF2142-C		
21" x 48" 533 x 1219	21 9.6	DF2148-A	24 10.9	DF2148-C		
21" x 60" 533 x 1524	23 10.4	DF2160-A	26 11.8	DF2160-C		
21" x 72" 533 x 1829	25 11.3	DF2172-A	28 12.7	DF2172-C		
24" x 36" 610 x 914	21 9.6	DF2436-A	23 10.4	DF2436-C		
24" x 42" 610 x 1067	26 11.8	DF2442-A	29 13.2	DF2442-C		
24" x 48" 610 x 1219	29 13.2	DF2448-A	32 14.5	DF2448-C		
24" x 60" 610 x 1524	31 14.1	DF2460-A	34 15.4	DF2460-C		
24" x 72" 610 x 1829	39 17.7	DF2472-A	42 19.1	DF2472-C		



dolly frames with wraparound bumper

ALUMINUM TRUCK DOLLIES

Includes designated casters and wraparound bumpers. Poly tread.

shelf width x length in. mm	weight lbs. kg	caster type	caster load rate (each)		model #
			lbs.	kg	
24" x 48" 457 x 1219	41 18.6	swivel	300	136.1	TD2448-SP
24" x 48" 457 x 1219	44 20.0	swivel/brake	900	408.2	TD2448-BSP
24" x 60" 533 x 1524	48 21.8	swivel	300	136.1	TD2460-SP
24" x 60" 533 x 1524	50 22.7	swivel/brake	900	408.2	TD2460-BSP




aluminum truck dollies

SLIDE SYSTEMS *

Easily attaches to underside of shelf without the use of tools.

fits shelf	adaptable tote boxes (see next page)	width x length x depth	weight lbs. kg	model #
24" (610mm)	TB1022-3, TB1022-6	14" x 21 1/2" x 10 1/4" (356 x 683 x 260mm)	5.0 2.3	TS1421
24" (610mm)	TB1722-3, TB1722-6, TB1722-9	20" x 21 1/2" x 10 1/4" (508 x 683 x 260mm)	4.7 2.1	TS2021
21" (533mm)	TB1016-3, TB1016-6	14" x 17 1/2" x 10 1/4" (356 x 543 x 260mm)	3.5 1.6	TS1417
21" (533mm)	TB1722-3*, TB1722-6*, TB1722-9*	25 1/2" x 17 1/2" x 10 1/4" (797 x 543 x 260mm)	4.0 1.8	TS2517

* Fits TS2517 sideways



slide system with tote boxes

ADJUSTABLE UNDERSHELF SLIDES *

Stainless steel. Accommodates any tote box width.

description	weight		model #
	lbs.	kg	
slides for 18" (457mm) wide shelf	3	1.4	US18-S
slides for 21" (533mm) wide shelf	3	1.4	US21-S
slides for 24" (610mm) wide shelf	3	1.4	US24-S
slides for 30" (762mm) wide shelf	4	1.8	US30-S



adjustable undershelf slides
with tote box

ONE-PIECE SLIDES *

Easily attaches to front and rear of shelf.

description	weight		model #
	lbs.	kg	
slides for 18" (457mm) wide shelf	6	2.7	OUS18
slides for 21" (533mm) wide shelf	8	3.6	OUS21
slides for 24" (610mm) wide shelf	9	4.1	OUS24



one-piece slide with tote box

TRAY SLIDES

These slides help maximize your use of space. Available in chrome or epoxy. 1 1/2" (38mm) spacing.

width x height in. mm	weight lbs. kg	chrome model #	EAGLEgard® model #	
				17 1/2" x 22 3/4"
23 3/8" x 22 3/4"	587 x 578	11 5.0	TS24-C	TS24-E



tray slides

* A variety of tote boxes are available for use with these slides and slide systems. See next page.

CANTILEVER SHELVES

These optional 12" (305mm) wide shelves are ideal for adding extra storage overhead.

NOTE: When ordering back posts, make sure to order correct height to accommodate these shelves.

length		weight		chrome	stainless
in.	mm	lbs.	kg.	model #	steel model #
24"	610	4.5	2.0	CS1224-C	CS1224-S
30"	762	5.0	2.3	CS1230-C	CS1230-S
36"	914	5.8	2.6	CS1236-C	CS1236-S
42"	1067	6.8	3.1	CS1242-C	CS1242-S
48"	1219	7.8	3.5	CS1248-C	CS1248-S
54"	1372	8.8	4.0	CS1254-C	CS1254-S
60"	1524	9.5	4.3	CS1260-C	CS1260-S



cantilever shelves

REVERSE MAT SHELVES

Feature built-in ledges which prevent contents from falling. 250 lb. (113 kg) capacity per shelf.

Add suffix "Z" (EAGLEBrite® zinc), "C" (chrome), "BL" (black), "R" (red), or "W" (white) to model number when ordering. Example: RM1436R indicates a red reverse mat shelf.

width x length		weight		model #	
in.	mm	lb.	kg		
14" x 36"	356 x 914	7	3.2	RM1436	
14" x 48"	356 x 1219	10	4.5	RM1448	
18" x 36"	457 x 914	9	4.1	RM1836	
18" x 48"	457 x 1219	11	4.9	RM1848	
21" x 36"	533 x 914	11	4.9	RM2136	
21" x 48"	533 x 1219	13	5.9	RM2148	
24" x 24"	610 x 610	9	4.1	RM2424	
24" x 36"	610 x 914	12	5.4	RM2436	
24" x 48"	610 x 1219	15	6.8	RM2448	



reverse mat shelf with built-in ledge



TOTE BOXES

Injection molded for uniform wall thickness ensures impact resistance and durability. Also available in molded fiberglass (see bottom of this page).

fits Slide System (see previous page)	width x length x depth		weight		model #
	inches	mm	lbs.	kg	
TS1417	10 1/8" x 16 3/4" x 3"	276 x 415 x 76	1.0	0.5	TB1016-3
TS1417	10 1/8" x 16 3/4" x 6"	276 x 415 x 152	1.5	0.7	TB1016-6
TS1421, TS2517	10 1/8" x 22 3/4" x 3"	276 x 568 x 76	1.5	0.7	TB1022-3
TS1421, TS2517	10 1/8" x 22 3/4" x 6"	276 x 568 x 152	2.0	0.9	TB1022-6
TS2021, TS2517	17 1/2" x 22 3/4" x 3"	444 x 568 x 76	2.3	1.0	TB1722-3*
TS2021, TS2517	17 1/2" x 22 3/4" x 6"	444 x 568 x 152	3.5	1.6	TB1722-6*
TS2021, TS2517	17 1/2" x 22 3/4" x 9"	444 x 568 x 229	4.0	1.8	TB1722-9*

* Fits Slide System #TS2517 sideways



tote box

TOTE BOX ACCESSORIES

fits tote box #	LONG DIVIDERS		SHORT DIVIDERS		COVERS
	maximum number accepted	model #	maximum number accepted	model #	model #
TB1016-3	7	LD16-3	11	SD10-3	TBC1016
TB1016-6	7	LD16-6	11	SD10-6	TBC1016
TB1022-3	7	LD22-3	15	SD10-3	TBC1022
TB1022-6	7	LD22-6	15	SD10-6	TBC1022
TB1722-3	11	LD22-3	15	SD17-3	TBC1722
TB1722-6	11	LD22-6	15	SD17-6	TBC1722
TB1722-9	11	LD22-9	15	SD17-9	TBC1722



tote box dividers

SNAP-ON CARD HOLDER

For 6" (152mm) -deep and 9" (229mm)-deep tote boxes.

add suffix	size	holds card
CH	4 1/2" x 7 3/4" (114 x 197mm)	3 1/2" x 7 1/2" (89 x 191mm)



card holder



tote box cover

MOLDED FIBERGLASS BOXES AND TRAYS

Boxes are stackable for maximum storage efficiency. Made of thermoset polyester composite material. Flame and chemical resistant.

inside length	inside width	outside length	outside width	depth		description	model #
				in.	mm		
24.3/4" (772mm)	16 9/16" (430mm)	25 1/8" (654mm)	17 1/8" (454mm)	1 1/16"	35	tray	A208505
				3"	76	stacking box	A208506
				4 1/2"	114	stacking box	A208507
				6"	152	stacking box	A208508
				—	—	lid	A208513*

*Model #A208513 lid fits models A208506, A208507, and A208508 stacking boxes.



assorted molded fiberglass boxes and trays

POST EXTENSION KIT & COMPONENTS

Screw posts together with double-threaded bolt and extra foot casting, includes components.

AS A KIT


model #	item
4PEK	post extension kit

AS INDIVIDUAL PARTS

model #	item
A200868	double-threaded bolt
B201023	wall bracket
A207351	casting

Please note:

DO NOT attempt to use any higher combinations than P54 and P86 maximum or 140" (3556mm) total. Any combinations higher than 86" (2184mm) must be attached to walls using wall bracket on post adjacent to wall. Place units only against wall, not in center of room.



POST CAP

Fills post end openings at top of shelving unit.

model #: POST CAP



post cap

PROTECTIVE GLIDES

Fits under leveling foot to protect floors from abrasion.

model #: GLIDES



glide

COLLAR PLUG

Fills shelf corner openings where posts have been eliminated by use of "S" hooks.

model #: COLLAR PLUG



collar plug

POST CLAMP

Provides maximum strength when shelving units are connected by clamping posts together securely.

model #: POST CLAMP




post clamp

LEVELING FOOT

Use these to accommodate for uneven floors.

model #: LEVELING FOOT



CASTING

Stabilizes leveling foot.

model #: A203568

FOOT PLATES

These allow unit to be bolted to the floor. Can be used without bolts when a wider foot is desired.

TRIANGULAR FOOT PLATE

chrome model #	stainless steel model #
FOOT PLATE	FOOT PLATE-S



foot plate triangle

SQUARE FOOT PLATE

chrome model #	stainless steel model #
A207199	A208627



foot plate square

RODS & TABS

Used to enclose backs or sides of shelving units to prevent contents from falling. Also used to partition shelving units by positioning rods interior to shelves. Each rod comes with four tabs. Contact factory for shipping weights.

height in.	mm	chrome	stainless
		model #	steel model #
54"	1372	R54-C	R54-S
63"	1600	R63-C	R63-S
74"	1880	R74-C	R74-S
86"	2184	R86-C	R86-S



rod with tab in place

Although every attempt has been made to ensure the accuracy of the information provided, we cannot be held responsible for typographical or printing errors. Information and specifications are subject to change without notice. Please confirm at time of order.