



M-202 Double Barrel Continuous Freezer

(2) 3 HP Condensing Units
R404A Refrigerant
Water or Air Cooled

208-240VAC / 60 HZ / 1
30 amp circuit
Dipping Trough Available

Produces gelato, sorbet, Italian ices, gourmet ice cream and other frozen desserts

Featuring Ross Quick-Freeze™ Technology



Features

- Quick-Freeze™ Technology.
- Continuous-feed system.
- Optional multi-temperature control switch.
- Environmentally safe refrigerants.

Advantages

- Minimizes size of ice crystals.
- Easy to operate.
- Front-mounted controls are designed for safety and ease of use.

Benefits

- Smoothest finished product.
- Control profitability and taste.
- Provides high-speed production with a low overrun.
- Non-removable hopper pans reduce cleaning time.

Additional Features and Benefits

- Delrin™, food-grade plastic blades provide quiet operation and superior durability.
- Compact size allows delivery through a standard doorway.
- Replacement parts and supplies are factory stocked for your convenience.




The Secret's in the Barrel! 



Made in the U.S. A.

Model M-202 Ross Frozen Custard Machine



SPECIFICATIONS

HOPPER CAPACITY 6 Gallons of liquid mix
(per hopper unit)

DIMENSIONS	in.	cm.
Frozen Custard Machine		
Width	27.5	69.9
Depth	32	81.3
Height Overall	57.5	146.1
Floor Clearance	6	15.2

(2) Air Cooled Condensing Units

Width	38	96.5
Depth	28	71.1
Height Overall	18	45.7

WEIGHTS	lbs.	kgs.
Frozen Custard Machine		
Air	645	293.2
Air (Crated)	945	429.6
Water	845	384.1
Water (Crated)	1,100	500

(2) Air Cooled Condensing Units

Net per Unit	198	90
Crated per Unit	285	130

ELECTRICAL	Breaker Size	Pole (P)	Wire (W)
Voltage/Hz/Phase			
208-230/60/1 Air	20A-Per Barrel . . .	2P	3W
	20A-Per Condenser . . .	2P	3W
208-230/60/1 Water	30A-Per Barrel . . .	2 P	3W
208-230/60/3 Air	15A-Per Barrel . . .	3P	4W
	20A-Per Condenser . . .	3P	4W
208-230/60/3 Water	20A-Per Barrel . . .	3P	4W
115/60/1	15A-Hopper Condenser		

BEATER MOTOR (2) 2 HP motors

REFRIGERATION SYSTEM

- (2) 3 HP Condensing Units
- R-404A Refrigerant
- Hopper Refrigeration: R-134A Refrigerant

AIR COOLED:

- Remote condenser w/enclosure
- (1) 5/8" Suction per Barrel
- (1) 3/8" Liquid per Barrel

WATER COOLED:

- Water Inlet (Hose Adapter)
- Water Drain (3/4" OD Copper)
- Connection located in the back of the machine

OPTIONS:

- Dipping cabinet
- Dipping trough
- Multifunction switch for specialty products

OPTIONAL DIPPING TROUGH:
Attached to the front of the machine

- (1) 1 1/2" Drain Connector
- (1) 5/16" O.D. Tubing Inlet



www.rossmanufacturing.com
1-888-339-4429 • 906-786-4894 • Fax 906-786-7928
3707 19th Avenue North, Escanaba, Michigan 49829