


Optional Cup Holders



- High production capacity in a compact design, Stoelting extra high capacity Frozen Beverage Dispensers have a 14,000 Btu/hr compressor, a large 2-gallon freezing cylinder and a 7-gallon mix hopper for high-volume dispensing and quick recovery.
- Fast dispense for quick fill of pitchers; controlled dispense for drinks by the glass.
- Offer ready-to-serve frozen cocktails, or frozen neutral base for high-margin speciality items.
- · Front to rear air flow is quiet and efficient.
- Available in auto fill (SO318) and non-auto fill (SO218).
- · Bottle rack kit with 7 flavor dispensers included.
- Air-Cooled and Water-Cooled condenser versions available.







	Model SO218		Model SO318	
Dimensions	Machine	with crate	Machine	with crate
width	17-3/4" (45,1 cm)	25" (63,5 cm)	17-3/4" (45,1 cm)	25" (63,5 cm)
height	61-1/4" (155,6 cm)	66" (167,6 cm)	61-1/4" (155,6 cm)	66" (167,6 cm)
depth	26-1/4" (66,7 cm)	51" (129,5 cm)	26-1/4" (66,7 cm)	51" (129,5 cm)
Weight	315 lbs (142,8 kg)	410 lbs (185,9 kg)	315 lbs (142,8 kg)	410 lbs (185,9 kg)
*Electrical	1 Phase, 208-240 VAC, 60Hz			
running amps	12A			
connection type	NEMA6-20P power cord provided			
Compressor	14,000 Btu/hr			
<b>Drive Motor</b>	1/2 hp			
Air Flow	Air cooled units require 3" (7,6 cm) air		Air cooled units require 3" (7,6 cm) air	
	space at back and front		space at back and front	
Plumbing Fittings	N/A		Water cooled units require 3/8" N.P.T.	
gttgc			water and drain fittings.	
Hopper Volume	7 gallon (26,50 liters)			
Freezing Cylinder	2 gallon (7,57 liters)			
Volume	2 gallott (1,51 lite13)			

Continuous research leads to ongoing product improvements; therefore, these specifications are subject to change without notice and should not be used as installation specifications.





FOODSERVICE EQUIPMENT

502 Highway 67 • Kiel, WI 53042-1600 920-894-2293 • 800-558-5807

Fax: 920-894-7029

E-mail: foodservice@stoelting.com www.stoeltingfoodservice.com

ISO 9001:2008 Registered

Certified, Listed and/or Recognized by:





<sup>\*</sup> Machine requires a dedicated electrical circuit.