Tes

T&S BRASS AND BRONZE WORKS, INC.

2 SADDLEBACK COVE / P.O. BOX 1088 / TRAVELERS REST, SC 29690 PHONE 800-476-4103 - FAX 864-834-3518



B-0305-03

Model No.

RELIABILITY BUILT IN

01/06/08

JHB

Architect/Engineer Approval: Job Name: Notes: Note 1: Lever Handle Screw Removable Only w/ Hex Key. (Furnished by T&S) Note 2: Aerator Removable Only w/ Installation Key (Furnished by T&S) B-0199-07 2.2 GPM Vandal Resistant Aerator. See Note 2. Lever Handle Metering 5 9/16" 14 1/8" Cartridge Assembly-[141mm] [359mm] 8 11/16" [220mm] Lever Handle, Color Coded Index & Vandal Resistant Screws. See Note 1 -Mounting Surface 2 1/2" Anti-Rotation Screws Set [63mm] into Shank Lock Washer Threaded & Visible From Below Anti-Rotation Screws may be Inserted in 1 1/4" c/c 1/2" NPSM Male Thread any (2) of (4) Positions Preventing TYP. [32mm] Twisting of Faucet 150A Tailpiece and Nut Furnished for Optional 1/4" NPT Connection 5/8" c/c TYP. [16mm] BOTTOM VIEW SCALE : 1:2 Product Description: Drawn: Checked Scale: B-0305 Single Supply Faucet w/ Vandal Resistant Self DHL JRM 1:4 Closing Lever Handle, Vandal Resistant 2.2 GPM Approved Date:

Aerator and Anti-Rotation Countertop Screws