

Carson, CA 90746 Tel. 310-900-1000 Fax. 310-900-1077 www.turboairinc.com

	Project :		
	Model #:		
	Item #:	Qty:	
	Available W/H:		
	Approval:		

Glass Door Freezer

Glass Door Merchandisers Freezers

Model: TGF-49F

___ FEATURES / BENEFITS =__

■ DIGITAL TEMPERATURE CONTROL SYSTEM

Provides precise and constant temperature. This level of precision allows food products to remain fresh over an extended period of time.

■ HIGH-TECH MONITOR

The unit will beep if the door has been opened for more than 30 seconds. The monitor digitally displays the present temperature and current status of the freezer. You can easily change the temperature by adjusting the

■ EFFICIENT REFRIGERATION SYSTEM

Turbo Air's freezers are designed with oversized and balanced (CFC Free R-404A) refrigeration systems. These include efficient evaporators and condensers for faster freezing and greater efficiency.

AUTOMATIC EVAPORATOR FAN MOTOR DELAYS

Through stopping the evaporator fan when the freezer door opens, the circulation of hot, moist air into the freezer is prevented. This increases energy efficiency and lengthens the life of the compressor.

■ TRIPLE PANE HEATED GLASS DOORS WITH HEAT REFLECTING FILM

Equipped with unique triple pane heated glass doors with a layer of patented, transparent thermal insulating film applied between the glass layers. Lightweight door construction reduces door maintenance and roller wear, and facilitates smooth door opening.

■ ADJUSTABLE, HEAVY DUTY, PE (POLYETHYLENE) **COATED WIRE SHELVES**

■ HIGH-DENSITY POLYURETHANE INSULATION

The entire cabinet structure is foamed-in-place using high density, CFC free polyurethane insulation.

■ TASTEFUL AND MODERN APPEARANCE

The design of our products is one of our top priorities. Whether you have a restaurant, bar, convenience store or gas station, Turbo Air refrigerators will compliment the appearance of your operation.

■ ERGONOMICALLY DESIGNED DOORS

Customers' fatigue fades away with easy grip handles and doors that open effortlessly. These features along with self-closing doors make this the ultimate choice in customer convenience.

■ MAGNETIC DOOR GASKETS

Magnetic door gaskets are of one piece construction, removable without tools for ease of cleaning and replacement.

■ BOTTOM MOUNT COMPRESSOR UNITS

Turbo Air's bottom mount compressor allows easier access for service and extra storage space above. In addition, the lower area provides a cooler and less greasy operating environment which results in reduced compressor running time.



FREEZER HOLDS-15°F ~ 5°F FOR THE **BEST IN FROZEN FOOD PRESERVATION**















Model	Swing Door	CU./FT.	#of Shelves	НР	AMPS	Crated Weight (lbs.)	L x D*x H (inches)
TGF-49F(B)	2	49	8	11/2	11	587	543/8 x 293/4 x 77

Glass Door Freezer

Model: TGF-49F(B)

ELECTRICAL DATA					
Voltage [†]	115/208~230/60/1				
Plug Type†	© NEMA L14-20				
Full Load Amperes	11				
Compressor HP	11/2				
Cord Length ft.	7				
Refrigerant	R-404A				
DIMENSIONAL DATA					
# of Doors	2				
Net Capacity cu. ft.	49				
Ext. Length Overall in.	543/8 (1382mm)				
Ext. Depth Overall in.*	293/4 (756mm)				
Ext. Height Overall in.	77 (1956mm)				
Int. Length Overall in.	50 _{1/2} (1283mm)				
Int. Depth Overall in.	243/4 (629mm)				
Int. Height Overall in.	60 _{3/8} (1534mm)				
Gross Weight lbs.	587				
Net Weight lbs.	554				
# of Shelves	8				
Shelf Size (LxD) in.	213/4 x 221/2				

Design and specifications subject to change without notice.


Actual shipping weight may differ due to extra packing materials for product protection.


- WARRANTY: 2 Year Parts and Labor Warranty
 Additional 3 Year Warranty on Compressor
- WHITE AND BLACK COLOR CABINET AVAILABLE
- TRIPLE PANE HEATED GLASS DOOR
- 4" SWIVEL CASTERS AVAILABLE (OPTIONAL)

■ OPTIONAL ACCESSORIES:

☐ Additional PE coated wire shelves

PLAN VIEW (unit: inch)





Ver.201301


















■ Warranty: 800-381-7770 ■ AC: 888-900-1002











^{*} Depth does not include 1-3/8" for glass door handles.

[†]TGF-49F requires dual voltage 115/208~230V (NEMA L14-20)