

Carson, CA 90746 Tel. 310-900-1000 Fax. 310-900-1077 www.turboairinc.com

Project :	
Model #:	
Item #:	Qty:
Available W/H:	
Approval :	

Glass Door Merchandiser

Glass Door Merchandisers Refrigerators

> **Model: TGM-72RS** TGM-72RSB

___FEATURES / BENEFITS=

■ ENERGY CONSERVING FAN CONTROL

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

■ HOT GAS CONDENSATE SYSTEM

Through Turbo Air's creative innovation, the condensate system surfaces have been specially treated to resist corrosion. This not only increases efficiency without the risk of refrigerant leakage from corrosion, but also prevents the overflow of condensate water.

■ EFFICIENT REFRIGERATION SYSTEM

Turbo Air's glass door refrigerators are designed with oversized and balanced (CFC Free R-134A) refrigeration systems. These include efficient evaporators and condensers for faster cooling and greater efficiency.

■ TASTEFUL AND MODERN APPEARANCE

The design of our products is one of our top priorities. Whether you have a restaurant, bar, convenience store or gas station, Turbo Air refrigerators will compliment the appearance of your operation.

■ MAGNETIC DOOR GASKETS

Magnetic door gaskets are of one piece construction, removable without tools for ease of cleaning and replacement.

■ WHITE AND BLACK COLOR COME STANDARD

■ Double Pane Glass Doors with Heat REFLECTING FILM

Equipped with unique double pane glass doors with a layer of patented, transparent thermal insulating film applied between the two glass layers. Lightweight door construction reduces door maintenance and bushing wear, and facilitates smooth door opening.

■ ADJUSTABLE, HEAVY DUTY, PE (POLYETHYLENE) **COATED WIRE SHELVES**

■ HIGH-DENSITY POLYURETHANE INSULATION

The entire cabinet structure is foamed-in-place using high density, CFC free polyurethane insulation.

■ ERGONOMICALLY DESIGNED DOORS

Customers' fatigue fades away with easy grip handles and doors that open effortlessly. These features along with self-closing doors make this the ultimate choice in customer convenience.

■ BOTTOM MOUNT COMPRESSOR UNITS

Turbo Air's bottom mount compressor allows easier access for service and extra storage space above. In addition, the lower area provides a cooler and less greasy operating environment which results in reduced compressor running time.





REFRIGERATOR HOLDS 33°F ~ 38°F FOR THE BEST IN BEVERAGE PRESERVATION















Model	Swing Door	CU./FT.	#of Shelves	НР	AMPS	Crated Weight (lbs.)	L x D*x H (inches)
TGM-72RS(B)	3	72	12	3/4	12	733	78 x 32 x 791/4

Glass Door Merchandiser

Model: TGM-72RS(B)


ELECTRICAL DATA				
Voltage	115/60/1			
Plug Type				
Full Load Amperes	12			
Compressor HP	3/4			
Cord Length ft.	7			
Refrigerant	R-134A			
DIMENSIONAL DATA				
# of Doors	3			
Net Capacity cu. ft.	72			
Ext. Length Overall in.	78 (1981mm)			
Ext. Depth Overall in.*	32 (813mm)			
Ext. Height Overall in.	79 _{1/4} (2013mm)			
Int. Length Overall in.	743/8 (1895mm)			
Int. Depth Overall in.	231/4 (590mm)			
Int. Height Overall in.	615/8 (1539mm)			
Gross Weight lbs.	733			
Net Weight lbs.	705			
# of Shelves	12			
Shelf Size (LxD) in.	231/2 x 233/4			
Bottle Capacity (Full/Load Line)	840 / 672			

Design and specifications subject to change without notice.


Actual shipping weight may differ due to extra packing materials for product protection.

- WARRANTY: 1 Year Parts and Labor Warranty
 Additional 4 Year Warranty on Compressor
- WHITE AND BLACK COLOR COME STANDARD
- DOUBLE PANE GLASS DOOR WITH THERMAL FILM
- FULLY ADJUSTABLE WIRE SHELVES WITH **Non-Corrosive Coating**
- CUSTOMIZED GRAPHICS & COLORS AVAILABLE IN QUANTITY
- 4" DIA. CASTERS ARE AVAILABLE (OPTIONAL)
- SHELF DIVIDERS ARE AVAILABLE (OPTIONAL)

PLAN VIEW (unit: inch)



PLAN VIEW



FRONT VIEW

Ver.201203













■ **Turbo Air**: 800-627-0032 ■ **GK**: 800-500-3519

■ Warranty: 800-381-7770 ■ AC: 888-900-1002











^{*} Depth does not include 1-3/8" for door handle